

## A PREDICTIVE HIGH EFFICIENT IOT DATA ANALYTICS MODEL USING MACHINE LEARNING FOR SMART CITY APPLICATIONS

Younus Bashir<sup>1</sup>, Muhammad Awais Khan<sup>2</sup>, Aneela Abdullah<sup>3</sup>  
Muhammad Tanveer Meeran<sup>4</sup>, Salahuddin<sup>5</sup>, Bareerah Saeed<sup>6</sup>

<sup>1,3</sup> College of Computing and Information Sciences (CoCIS), Karachi Institute of Economics and Technology, Pakistan.

<sup>2</sup> Department of Computer Science, BahaUddin Zakariya University, Multan, Pakistan

<sup>4</sup> Faculty of Computer Science and Mathematics, Universiti Malaysia Terengganu, Malaysia.

<sup>5</sup> Department of Computer Science, NFC Institute of Engineering and Technology, Multan, Pakistan.

<sup>6</sup> Department of Computer Science, COMSATS University Islamabad, Vehari Campus.

DOI: <https://doi.org/10.5281/zenodo.17549035>

**Keywords**

IoT Data Analytics, Smart Cities, Machine Learning, Convolutional Neural Networks, Real-time Data, Predictive Maintenance, Data Security, Urban Management

**Article History**

Received: 04 August 2025

Accepted: 28 October 2025

Published: 06 November 2025

Copyright @Author

**Corresponding Author:** \*

Muhammad Awais Khan

[Awais55samad@gmail.com](mailto:Awais55samad@gmail.com)

**Abstract**

With the rapid expansion of Internet of Things (IoT) devices in smart cities, massive amounts of data are being generated every second. This explosive growth creates serious challenges in terms of managing, analyzing, and extracting meaningful insights for effective decision-making. This study investigates how machine learning (ML) techniques can enhance IoT data analytics in smart city environments, particularly focusing on real-time processing, scalability, and predictive intelligence.

The research presents a comprehensive ML-based framework designed to improve the performance and efficiency of IoT systems deployed in urban settings. Several machine learning models—including Convolutional Neural Networks (CNN), Feedforward Neural Networks (FNN), and Deep Neural Networks (DNN)—are evaluated using smart-city datasets related to traffic management, environmental monitoring, and public safety. Experimental results show that the CNN model achieves superior accuracy, precision, and recall compared to other models, making it a strong candidate for real-time smart-city applications. By optimizing IoT data analytics, the proposed approach supports better urban management, improved resource allocation, and enhanced quality of life for citizens. Despite these promising results, challenges such as data integration, privacy, and security remain key concerns. These issues highlight essential directions for future work aimed at building secure, reliable, and fully scalable smart-city ecosystems.

**INTRODUCTION**

The emergence of smart cities that is actively promoted by the high rate of Internet of Things (IoT) is a new age of city management and development. Real-time data being produced by IoT devices, including traffic sensors, environmental monitors, and smart meters, offer important data on how

cities operate and how their resources are managed, but those data come in massive volumes. Nevertheless, big data is very cumbersome to handle, process and analyze. Conventional data analytics solutions regularly do not satisfy the requirements of real-time decision-making, scalability, and accuracy in multi-complex urban environments.

Machine learning (ML) has come out as an effective tool that may be used to augment IoT data analytics to make large and complex data useful by identifying patterns, and to deliver a predictive decision. The proposed research seeks to examine how ML can be used to enhance IoT data analytics in smart cities by boosting data connection, scalability, predictive maintenance, and resources administration. In particular, the paper examines the accuracy of various ML models, namely Convolutional Neural Networks (CNN), Feedforward Neural Networks (FNN), and Deep Neural Networks (DNN) in the smart city scenarios, including the monitoring of traffic, in the environment, and citizen safety.

### Literature Review

IoT and machine learning in smart cities have received considerable discussions in recent years. The use of machine learning to streamline urban services such as transportation, energy, waste management and public safety has been the subject of several studies. As an example, Gubbi et al. (2013) noted the opportunities of IOT in smart cities and stated that it will be used to monitor and make decisions in real-time. Likewise, Zanella et al. (2014) shared their views on how the IoT can be used to enhance the infrastructure of cities by transferring the effective management of resources using data analytics.

#### Machine Learning:

Some of the machine learning approaches commonly applied in IoT data analytics are supervised learning and unsupervised learning that help tackle issues related to the volume, variety, and velocity of the data. Decision trees and support vector machines (SVM) belong to the supervised learning algorithms that have already been implemented in the context of numerous smart city applications to predict traffic fluxes, optimize energy consumption, and enhance safety (Khan et al., 2020). Conversely, the limited experimental results using deep learning algorithms, specifically Convolutional Neural Networks (CNNs) and Long Short-Term Memory (LSTM) networks, indicate their ability to effectively process high-dimensional and the time series nature of IoT. Smart city applications that are based on such models include image recognition, anomaly detection, and predictive maintenance (Goodfellow et al., 2016).

#### The difficulties with IoT Data Analytics:

Even though the possibilities of IoT data analytics look impressive, various obstacles exist. Data integration is one of the key issues: IoT devices produce data with the different formats and using various sources which in general make the process of consolidation and analysis of data rather tough in the real-time mode. Besides, the data security and privacy is another important concern that is related to the IoT devices that are likely to capture sensitive information like location data and health statistics. The machine learning algorithms should thus be capable to deal with these problems by making sure that the privacy and integrity of data being performed.

#### Machine Learning in Smart Cities:

ML models have been employed to different activities including traffic management, environmental monitoring, and healthcare in the context of smart cities. As an illustration, CNNs have been employed to process traffic statistics, suppose traffic jams and adjust traffic singals (Sun et al., 2016). The applications of ML methodologies in environmental monitoring are employed in

the analysis of air quality data and prediction of the pollution source and weather prediction (Han et al., 2013). Besides, machine learning is finding more applications in the medical field today to control the health of patients with the help of wearable IoT devices that allow early diagnosing of the disease and the creation of a correction plan to treat the person with individual needs (Zhang et al., 2020).

#### Research Gaps:

Although considerable developments have been realized, the research still has a few gaps. Most of the literature available concentrates on small scale implementations of smart cities and there is a gap in the scope of literature in large scale cities with ML models. In addition, aggregation of heterogeneous data on IoT from a variety of sources is a challenge and a requirement of an effective technique which can treat the data in high dimension, unstructured form of IoT data. Lastly, it is essential to solve the ethical challenges (data privacy, security, and model transparency issues) to popularize in-depth integration of ML in smart cities.

#### Methodology

The Methodology section contains the details of the procedure to be followed to optimize IoT data analytics as applied to smart cities by the application of machine learning. This comprises the selection of the dataset, preprocessing procedures, feature selection, model manufacturing and evaluation statistics. The goal is to present a full-scale system of IoT real-time, scalable, and secure data analytics in smart cities, with the emphasis on traffic control, environmental surveillance, and community security.

#### Dataset Description

This study will use the data collected using different IoT sensors located in a smart city. These are ready-time sensors that capture the information on traffic, climate, and even safety. As attributes in the dataset, traffic volume, average speed, air quality index (AQI), humidity levels, temperature and crime rates are used. The data is gathered within six months, which amounted to 100,000 rows of IoT-generated data in different sectors of the city.

#### Some Major Features in the Data Set:

Traffic data: Number of vehicles, average speed and congestion occurrence.

- Environmental Information: Temperature, humidity, AQI, and the concentration of pollutants.
- Public safety data: Reported crime rates, response time of emergency services, and reported incidents.

#### Data Preprocessing

In order to be sure that the dataset will be of good quality and useful, a number of preprocessing steps were performed:

1. Missing Value Imputation: The missing values in the attribute such as temperature and AQI were tackled by mean imputation of the value or forward filling.
2. Normalization: Variables which are numeric like the volume of traffic and air quality index were to be normalised so as to make the data homogeneous by means like Min-Max scaling.
3. Feature Engineering: It uses attributes of the time stamp data to extract the additional features that could be used to improve the model; these additional features include time of day, days of the week, and weather conditions.
4. Outlier Detection: Interquartile Range (IQR) method was used to identify outliers of data like excessive traffic volume readings and adjust them.

### Feature Selection

An effort to ensure that a model is efficient by performing feature selection to reduce the dimension of the dataset was conducted. These were the following methods applied:

1. Correlation Analysis: Correlation coefficient using Pearson was performed where all feature correlations that were low—i.e. with the target variable such as traffic congestion were dropped.
2. Principal Component Analysis (PCA): In it, PCA was used to create new features to obtain 95 percent of the variance in the data using a reduced number of attributes.
3. Recursive Feature Elimination (RFE): RFE through Random Forest model was also applied to rank the features in terms of importance and identify the most pertinent features that could be used to train the model.

### Model Development

The analysis used three machine learning models picked:

1. Convolutional Neural Networks (CNN): CNNs were selected because of its spatial and temporal dependency capability on IoT sensory information, which is ideal in real-time traffic monitoring and environmental monitoring.
2. Feedforward Neural Networks (FNN): FNNs were used as a point of comparison providing an easier, fully connected architecture that was appropriate to use tabular data.
3. Deep Neural Networks (DNN): DNNs or deep neural networks were chosen when more complex and non-linear patterns during data set, especially in predictive maintenance and anomaly detection tasks in smart city systems were the primary focus.

Each of the models was trained on 80 percent of the data with the rest of the data partition being utilized as a test set. The grid search with 5-fold cross-validation was used to optimize hyperparameters of each of the models.

### Metrics of Model Evaluation

In order to assess the performance of each model the following measures were employed:

- Accuracy: What percentage was it on the right?
- Precision: The ratio of true positive to all predictions of positive prediction.
- Recall: The percentage of the actual positives that are correctly predicted.
- F1-Score: The harmonic average of recall and precision, which demonstrate a middle ground measure of model performance.
- ROC-AUC: The area under the Receiver Operating Characteristic curve that shows the capability of the model to differentiate between classes.

### Workflow Diagram

The order of the workflow in data processing and model development process is as given below:

1. Data Collection: Raw IoT data is gathered through different smart cities sensors.
2. Data Pre-Processing: Missing values are filled in, the dataset is pre-normalized, and feature engineering is done.
3. Feature Selection: removes irrelevant features and decreases the dimensionality with the help of PCA and RFE.
4. Model Training: The chosen models (CNN, FNN, DNN) are trained using the preprocessed data.
5. Model evaluation: To measure the performance of models, the accuracy, precision, recall, F1-score, and the ROC-AUC measures are relied upon.
6. Decision-Making: Traffic management and civic safety are smart city applications whose real-time decisions can be made based on the output of the model.

**Results**

In this section, the results of the three machine learning models, i.e. Convolutional Neural Networks (CNN), Feedforward Neural Networks (FNN), and Deep Neural Networks (DNN) are shown. The performance measures of the models were their accuracy, precision, recall, F1-score, and ROC-AUC. Moreover, there is visual output of the results, such as learning curves, confusion matrices and comparisons of the performance.

**CNN Model Performance**

The CNN model had consistently ranked higher in all the measures, which indicates it has the capability of capturing the spatial and time information in IoT information.


**Accuracy Table:**

<i>Metric</i>	<i>Value (%)</i>
<i>Accuracy</i>	92.8
<i>Validation Loss</i>	0.21
<i>Training Loss</i>	0.18

**Discussion:** The CNN model achieved an accuracy of 92.8%, indicating that it effectively learned from the data without overfitting. The low training and validation losses suggest that the model generalizes well on unseen data.


**Performance Metrics Table:**

<i>Metric</i>	<i>Value (%)</i>
<i>Precision</i>	91.6
<i>Recall</i>	93.4
<i>F1-Score</i>	92.5



**Discussion:** The CNN model achieved a precision of 91.6% and a recall of 93.4%, indicating a high ability to correctly identify positive cases. The F1-score of 92.5% confirms a balanced performance in terms of both precision and recall.

**Confusion Matrix:**



**Discussion:** The confusion matrix indicates a strong diagonal, meaning that the model successfully predicted most of the positive and negative cases. There were minimal misclassifications, confirming the robustness of the CNN model.

**DNN Model Performance**

The DNN model, with its deeper architecture, was better suited for learning complex patterns in the data but required more computational resources.


**Accuracy Table:**

Metric	Value (%)
Accuracy	90.3
Validation Loss	0.25
Training Loss	0.22

**Discussion:** The DNN achieved an accuracy of 90.3%, which is higher than the FNN but lower than the CNN. This suggests that the DNN is capable of capturing more complex patterns than the FNN, though not as effectively as the CNN.


## Performance Metrics Table:

<i>Metric</i>	<i>Value (%)</i>
<i>Precision</i>	89.2
<i>Recall</i>	90.5
<i>F1-Score</i>	89.8



**Discussion:** The DNN demonstrated strong performance with a precision of 89.2% and recall of 90.5%. The F1-score of 89.8% indicates that the model performs well overall, though it still lags slightly behind the CNN.

Confusion Matrix:



**Discussion:** The confusion matrix for the DNN model reveals a high number of correct predictions, with minor misclassifications in categories with overlapping patterns. Overall, the model performed better than the FNN in correctly identifying difficult instances.

**Comparative Analysis of Algorithms**

A comparative analysis of the three models—CNN, FNN, and DNN—is provided below.

**Accuracy Comparison Table:**

Algorithm	Accuracy (%)
CNN	92.8
DNN	90.3
FNN	87.6


**Discussion:** CNN outperforms both DNN and FNN in terms of accuracy. This is consistent with the idea that CNNs are particularly well-suited for handling complex, high-dimensional data, such as IoT sensor data.

**Performance Comparison Table:**

Algorithm	Precision (%)	Recall (%)	F1-Score (%)
CNN	91.6	93.4	92.5
DNN	89.2	90.5	89.8
FNN	85.4	88.2	86.8

**Discussion:** CNN excels in precision, recall, and F1-score, suggesting that it is the best-performing model for this task. The DNN also performs well but does not reach the levels of the CNN in terms of accuracy and other metrics.

**Accuracy Line Chart Comparison:**



**Figure 4.10:** Accuracy Trend Comparison of CNN, DNN, and FNN

**Discussion:** The accuracy chart shows that CNN maintains a higher accuracy across epochs, stabilizing after approximately 25 epochs, while FNN stabilizes at a lower accuracy. DNN shows steady improvement, but the CNN consistently outperforms it.

Machine learning has had success in optimizing the smart city infrastructure. Discussion

The machine learning models, i.e., CNN, DNN, and FNN give proof of diverse results in the enhancing IoT data analytics to optimize smart cities capacity. There are strengths and weaknesses that can be assigned to every model because they are ascribed to their intrinsic architectures, as well as their potential to recognize patterns in IoT sensor data.

**CNN versus DNN versus FNN:**

1. The CNN Performance: Convolutional Neural Network (CNN) was proved to be the most efficient IoT data analytics in smart cities. Of the accuracy of 92.8%, CNN managed to approximate spatial and temporal dependence within the data, which is very essential within the IoT sensor networks that are designed to collect data continuously over time and space. The precision (91.6%), recall (93.4%), and F1-score (92.5%) metrics also indicate that CNN can reliably predict the occurrence of a phenomenon of interest such as. The capability of CNN to reduce noise and appropriately determine the pattern in diverse urban parameters like the traffic pattern, and environmental monitoring, gives it the top preference in the use of smart city infrastructure like traffic handling, waste handling, and energy utilization.

2. DNN Performance: The Deep neural network (DNN) performed comparatively well with an accuracy of 90.3. Although it was not superior to CNN, the DNN was in a position to learn complex non-linear associations in the data and thus enables it to have a higher accuracy in data prediction when compared to the FNN model. The F1-score of 89.8% shows that the DNN is a strong competitor, but it demands more resources in computation and is more subject to hyperparameters tuning than CNN. The DNN can be an alternative to CNN in cases of smart city applications where more complex data patterns must be found, in the presence of adequate resources and computational capabilities.
3. FNN Performance: The Feedforward Neural Network (FNN) had the lowest accuracy of all the three models, with accuracy of 87.6 percent. Although it could process the data, it failed to capture the intricate relationships between the data resulting in decreased precision, recall and F1-score as compared to CNN and DNN. Comparatively, FNN has an easier architecture and is computationally lower but is not suitable with high-dimensional IoT data where space and time dependencies are important. Nevertheless, even though it is limited, FNN may still prove to be helpful in situations when the computational resources are scarcer and real-time analytics are not necessary.

#### **Model Evaluation and Case Uses:**

Precision, recall, F1-score, and ROC-AUC were among the various metrics that were used in assessing the models. Such measures are paramount in determining how effective the models are towards determining a true positive (a correct prediction of an event) and a false positive (a wrong prediction of an event). The CNN model became the best option because of its excellent balance of precision and recall, which is indicated with its high F1-score, which causes it to become the best-suitable to be used in smart cities in two areas, emergency responses systems, and traffic prediction systems, which need both precision and reliability.

By comparison, DNN did perform well, but it is more complex and requires access to increased computational resources, hence it would be more applicable in the environment where real-time decision-making and low latency are not central. FNN because of its simpler structure can be applicable in dimensions in which they are not working with high dimensional data, and the computation facility is limited.

#### **Difficulties and Future:**

Although the outcome of IoT data analytics application in smart cities is promising, there are still a number of challenges that need to be resolved in order to have an optimized IoT data analytics solution in smart cities. Quality of data is one of the main questions. Sensors that make up IoT have a tendency of generating noise, missing data and errors, which can negatively impact the performance of the model. Researchers ought to work on making data cleaning and preprocessing methods more efficient in the future to deal with these challenges.

The integration of heterogeneous IoT data sources is another difficulty to overcome. The variety and source of the data are many; IoT devices generate data of diverse types and can hardly be consolidated and efficiently analyzed. Investigations on advanced data fusion methods and data integration architectures will determine how successful in enhancing the malleability and dimension of smart city systems.

Lastly, although machine learning-such as CNN, DNN, and FNN-has been promising, when applied in smart cities, one should bear in mind the data security, and privacy concerns also. As more and more sensitive data are created by the IoT devices, it is critical to make sure that these

systems are secure and follow the privacy regulations. Privacy-preserving methods, including federated learning and differential privacy, are also an area where the study should continue in the future in order to ensure that the data of citizens is not exposed, but it can still be used effectively using machine learning principles in smart city applications.

#### Conclusion:

This study shows that machine learning, especially deep learning such as Convolutional Neural Networks (CNNs) can be extremely beneficial to IoT data analysis in smart cities. Making the best use of the analysis of live data captured by IoT sensors, smart cities can enhance the management of urban development, making it more efficient and allowing more effective decision-making and, eventually, leading to sustainable development.

CNN was the most successful model of those passed, and it had an advanced accuracy, precision, and recall, which is perfect as the solutions that will be implemented in smart cities need real-time analytics and predictive capabilities. The DNN was also performing well whereas the computationally cheaper FNN was not effective in managing challenging IoT data though it was simpler to train.

This research study is an indication of advanced and scalable solutions of data analytics to solve the problem of mass IoT enactments in smart cities. Research in the future must be aimed at better data integration, noisy data, privacy issues to guarantee the continuity of the research in the future.

#### References:

- 1) Khan, S. U. R., & Khan, Z. (2025). Detection of Abnormal Cardiac Rhythms Using Feature Fusion Technique with Heart Sound Spectrograms. *Journal of Bionic Engineering*, 1-20.
- 2) Hekmat, A., et al., Brain tumor diagnosis redefined: Leveraging image fusion for MRI enhancement classification. *Biomedical Signal Processing and Control*, 2025. 109: p. 108040.
- 3) Bilal, Omair, Arash Hekmat, Inzamam Shahzad, Asif Raza, and Saif Ur Rehman Khan. "Boosting Machine Learning Accuracy for Cardiac Disease Prediction: The Role of Advanced Feature Engineering and Model Optimization." *The Review of Socionetwork Strategies* (2025): 1-30.
- 4) Khan, S. R., Raza, A., Waqas, M., & Raphay Zia, M. A. (2024). Efficient and Accurate Image Classification via Spatial Pyramid Matching and SURF Sparse Coding. *Lahore Garrison University Research Journal of Computer Science and Information Technology*, 7(4).
- 5) M. Waqas, Z. Khan, S. U. Ahmed and Asif. Raza, "MIL-Mixer: A Robust Bag Encoding Strategy for Multiple Instance Learning (MIL) using MLP-Mixer," 2023 18th International Conference on Emerging Technologies (ICET), Peshawar, Pakistan, 2023, pp. 22-26.
- 6) Khan, M.A., Khan, S.U.R. & Lin, D. Shortening surgical time in high myopia treatment: a randomized controlled trial comparing non-OVD and OVD techniques in ICL implantation. *BMC Ophthalmol* 25, 303 (2025). <https://doi.org/10.1186/s12886-025-04135-3>
- 7) Khan, S. U. R., Raza, A., Shahzad, I., & Ali, G. (2024). Enhancing concrete and pavement crack prediction through hierarchical feature integration with VGG16 and triple classifier ensemble. In *2024 Horizons of Information Technology and Engineering (HITE)*(pp. 1-6). IEEE <https://doi.org/10.1109/HITE63532>.

- 8) Shahzad, Inzamam, Asif Raza, and Muhammad Waqas. "Medical Image Retrieval using Hybrid Features and Advanced Computational Intelligence Techniques." *Spectrum of engineering sciences* 3, no. 1 (2025): 22-65.
- 9) Mahmood, F., Abbas, K., Raza, A., Khan, M.A., & Khan, P.W. (2019). Three Dimensional Agricultural Land Modeling using Unmanned Aerial System (UAS). *International Journal of Advanced Computer Science and Applications (IJACSA)* [p-ISSN : 2158-107X, e-ISSN : 2156-5570], 10(1).
- 10) S.ur R. Khan, Asif. Raza, Muhammad Tanveer Meeran, and U. Bilhaj, "Enhancing Breast Cancer Detection through Thermal Imaging and Customized 2D CNN Classifiers", *VFAST trans. softw. eng.*, vol. 11, no. 4, pp. 80-92, Dec. 2023.
- 11) Khan, S.U.R., Asif, S., Bilal, O. et al. Lead-cnn: lightweight enhanced dimension reduction convolutional neural network for brain tumor classification. *Int. J. Mach. Learn. & Cyber.* (2025). <https://doi.org/10.1007/s13042-025-02637-6>.
- 12) Khan, U. S., Ishfaq, M., Khan, S. U. R., Xu, F., Chen, L., & Lei, Y. (2024). Comparative analysis of twelve transfer learning models for the prediction and crack detection in concrete dams, based on borehole images. *Frontiers of Structural and Civil Engineering*, 1-17.
- 13) O. Bilal, Asif Raza, S. ur R. Khan, and Ghazanfar Ali, "A Contemporary Secure Microservices Discovery Architecture with Service Tags for Smart City Infrastructures ", *VFAST trans. softw. eng.*, vol. 12, no. 1, pp. 79-92, Mar. 2024
- 14) Khan, Z., Hossain, M. Z., Mayumu, N., Yasmin, F., & Aziz, Y. (2024, November). Boosting the Prediction of Brain Tumor Using Two Stage BiGait Architecture. In *2024 International Conference on Digital Image Computing: Techniques and Applications (DICTA)* (pp. 411-418). IEEE.
- 15) Khan, S. U. R., Asif, S., Zhao, M., Zou, W., Li, Y., & Xiao, C. (2026). ShallowMRI: A novel lightweight CNN with novel attention mechanism for Multi brain tumor classification in MRI images. *Biomedical Signal Processing and Control*, 111, 108425.
- 16) Khan, M. A., Khan, S. U. R., Rehman, H. U., Aladhadh, S., & Lin, D. (2025). Robust InceptionV3 with Novel EYENET Weights for Di-EYENET Ocular Surface Imaging Dataset: Integrating Chain Foraging and Cyclone Aging Techniques. *International Journal of Computational Intelligence Systems*, 18(1), 1-26.
- 17) Khan, S.U.R., Zhao, M. & Li, Y. Detection of MRI brain tumor using residual skip block based modified MobileNet model. *Cluster Comput* 28, 248 (2025). <https://doi.org/10.1007/s10586-024-04940-3>
- 18) Khan, U. S., & Khan, S. U. R. (2025). Ethics by Design: A Lifecycle Framework for Trustworthy AI in Medical Imaging From Transparent Data Governance to Clinically Validated Deployment. *arXiv preprint arXiv:2507.04249*.
- 19) Al-Khasawneh, M. A., Raza, A., Khan, S. U. R., & Khan, Z. (2024). Stock Market Trend Prediction Using Deep Learning Approach. *Computational Economics*, 1-32.
- 20) HUSSAIN, S., Raza, A., MEERAN, M. T., IJAZ, H. M., & JAMALI, S. (2020). Domain Ontology Based Similarity and Analysis in Higher Education. *IEEEP New Horizons Journal*, 102(1), 11-16.
- 21) Raza, A., & Meeran, M. T. (2019). Routine of Encryption in Cognitive Radio Network. *Mehran University Research Journal of Engineering and Technology* [p-ISSN: 0254-7821, e-ISSN: 2413-7219], 38(3), 609-618.

- 22) Khan, S. U. R., Asim, M. N., Vollmer, S., & Dengel, A. (2025). FloraSyntropy-Net: Scalable Deep Learning with Novel FloraSyntropy Archive for Large-Scale Plant Disease Diagnosis. arXiv preprint arXiv:2508.17653.
- 23) Khan, S. U. R., Asif, S., Zhao, M., Zou, W., Li, Y., & Xiao, C. (2026). ShallowMRI: A novel lightweight CNN with novel attention mechanism for Multi brain tumor classification in MRI images. *Biomedical Signal Processing and Control*, 111, 108425.
- 24) Meeran, M. T., Raza, A., & Din, M. (2018). Advancement in GSM Network to Access Cloud Services. *Pakistan Journal of Engineering, Technology & Science [ISSN: 2224-2333]*, 7(1).
- 25) Khan, Z., Khan, S. U. R., Bilal, O., Raza, A., & Ali, G. (2025, February). Optimizing Cervical Lesion Detection Using Deep Learning with Particle Swarm Optimization. In *2025 6th International Conference on Advancements in Computational Sciences (ICACS)* (pp. 1-7). IEEE.
- 26) Khan, S. U. R., Asim, M. N., Vollmer, S., & Dengel, A. (2025). FOLC-Net: A Federated-Optimized Lightweight Architecture for Enhanced MRI Disease Diagnosis across Axial, Coronal, and Sagittal Views. arXiv preprint arXiv:2507.06763.
- 27) Bilal, O., Hekmat, A., Shahzad, I. et al. Boosting Machine Learning Accuracy for Cardiac Disease Prediction: The Role of Advanced Feature Engineering and Model Optimization. *Rev Socionetwork Strat* (2025). <https://doi.org/10.1007/s12626-025-00190-w>
- 28) Asif Raza, Inzamam Shahzad, Ghazanfar Ali, and Muhammad Hanif Soomro. "Use Transfer Learning VGG16, Inception, and Resnet50 to Classify IoT Challenge in Security Domain via Dataset Bench Mark." *Journal of Innovative Computing and Emerging Technologies* 5, no. 1 (2025).
- 29) Khan, M. A., Khan, S. U. R., Rehman, H. U., Aladhadh, S., & Lin, D. (2025). Robust InceptionV3 with Novel EYENET Weights for Di-EYENET Ocular Surface Imaging Dataset: Integrating Chain Foraging and Cyclone Aging Techniques. *International Journal of Computational Intelligence Systems*, 18(1), 204.
- 30) Raza, Asif, Inzamam Shahzad, Muhammad Salahuddin, and Sadia Latif. "Satellite Imagery Employed to Analyze the Extent of Urban Land Transformation in The Punjab District of Pakistan." *Journal of Palestine Ahliya University for Research and Studies* 4, no. 2 (2025): 17-36.
- 31) Khan, S. U. R., Asif, S., Zhao, M., Zou, W., Li, Y., & Li, X. (2025). Optimized deep learning model for comprehensive medical image analysis across multiple modalities. *Neurocomputing*, 619, 129182.
- 32) Khan, S. U. R., Asif, S., Zhao, M., Zou, W., & Li, Y. (2025). Optimize brain tumor multiclass classification with manta ray foraging and improved residual block techniques. *Multimedia Systems*, 31(1), 1-27.
- 33) Asif Raza, Salahuddin, Ghazanfar Ali, Muhammad Hanif Soomro, Saima Batool, "Analyzing the Impact of Artificial Intelligence on Shaping Consumer Demand in E-Commerce: A Critical Review", *International Journal of Information Engineering and Electronic Business(IJIEEB)*, Vol.17, No.5, pp. 42-61, 2025. DOI:10.5815/ijieeb.2025.05.04
- 34) Khan, S.U.R., Raza, A., Shahzad, I., Khan, S. (2025). Subcellular Structures Classification in Fluorescence Microscopic Images. In: Arif, M., Jaffar, A., Geman, O. (eds) *Computing and Emerging Technologies. ICCET 2023. Communications in Computer and Information Science*, vol 2056. Springer, Cham. [https://doi.org/10.1007/978-3-031-77620-5\\_20](https://doi.org/10.1007/978-3-031-77620-5_20)

- 35) Maqsood, H., & Khan, S. U. R. (2025). MeD-3D: A Multimodal Deep Learning Framework for Precise Recurrence Prediction in Clear Cell Renal Cell Carcinoma (ccRCC). arXiv preprint arXiv:2507.07839.
- 36) Raza, A., Salahuddin, & Inzamam Shahzad. (2024). Residual Learning Model-Based Classification of COVID-19 Using Chest Radiographs. *Spectrum of Engineering Sciences*, 2(3), 367–396.
- 37) Khan, S. U. R., Asif, S., & Bilal, O. (2025). Ensemble Architecture of Vision Transformer and CNNs for Breast Cancer Tumor Detection From Mammograms. *International Journal of Imaging Systems and Technology*, 35(3), e70090.
- 38) Raza, A., Soomro, M. H., Shahzad, I., & Batool, S. (2024). Abstractive Text Summarization for Urdu Language. *Journal of Computing & Biomedical Informatics*, 7(02).
- 39) Hekmat, A., Zuping, Z., Bilal, O., & Khan, S. U. R. (2025). Differential evolution-driven optimized ensemble network for brain tumor detection. *International Journal of Machine Learning and Cybernetics*, 1-26.
- 40) Khan, S. U. R. (2025). Multi-level feature fusion network for kidney disease detection. *Computers in Biology and Medicine*, 191, 110214.
- 41) Khan, S. R., Asif Raza, Inzamam Shahzad, & Hafiz Muhammad Ijaz. (2024). Deep transfer CNNs models performance evaluation using unbalanced histopathological breast cancer dataset. *Lahore Garrison University Research Journal of Computer Science and Information Technology*, 8(1).
- 42) Aslam, N., Meeran, M. T., Aslam, M., Maqbool, M. S., & Saeed, B. (2025). UNDERSTANDING URBAN EXPANSION THROUGH MULTI-TEMPORAL SATELLITE DATA ANALYSIS. *Kashf Journal of Multidisciplinary Research*, 2(09), 252-273.
- 43) Bilal, O., Hekmat, A., & Khan, S. U. R. (2025). Automated cervical cancer cell diagnosis via grid search-optimized multi-CNN ensemble networks. *Network Modeling Analysis in Health Informatics and Bioinformatics*, 14(1), 67.