

A CONTEXTUALIZED FRAMEWORK FOR LOW-CARBON BUILDINGS IN DEVELOPING COUNTRIES

Abdul Jabbar^{*1}, Ruhai Pervez Memon², Saira Sidhu³, Qasim Raza⁴

^{*1}Faculty of Engineering, Science and Technology, Indus University, Karachi

²Civil Engineering Department, Faculty of Civil Engineering, Architecture & Planning, Dawood University of Engineering and Technology, Karachi

³USPCASW-Mehran University of Engineering and Technology Jamshoro

⁴Faculty of Engineering, Science and Technology, Indus University, Karachi

¹abdul.jabbar@indus.edu.pk, ²ruhai.memon@duet.edu.pk, ³saira.mustafa13te64@gmail.com

DOI: <https://doi.org/10.5281/zenodo.19466685>

Keywords

Low-carbon buildings, Sustainable construction, building energy efficiency, Passive design, Renewable energy.

Article History

Received: 12 February 2026

Accepted: 21 March 2026

Published: 08 April 2026

Copyright @Author

Corresponding Author: *

Abdul Jabbar

Abstract

This study investigates the current state of low-carbon building (LCB) practices in Pakistan's construction sector and develops a contextualized implementation framework to address identified barriers. Employing a mixed-methods research design, the study integrates quantitative surveys of 153 construction professionals, qualitative semi-structured interviews with 10 industry experts, and a comprehensive literature review. Data was analyzed using descriptive statistics, thematic analysis, and comparative methods. Findings reveal that LCB adoption in Pakistan remains critically low, evident in only 5% of surveyed projects. Four primary barriers were identified and ranked: absence of regulatory frameworks and financial incentives (mean score 4.75/5), high upfront costs (4.58/5), limited awareness and technical knowledge (4.35/5), and restricted availability of sustainable materials (4.18/5). Technical analysis further demonstrates that passive design strategies can achieve 40–70% energy demand reduction, while renewable energy integration offers substantial operational carbon savings. The study contributes original empirical data on LCB implementation barriers specific to Pakistan and presents the first contextualized framework—the Three-Pillar Low-Carbon Building Design (LCBD) Framework—tailored to Pakistan's unique socio-economic, regulatory, and climatic conditions. The proposed framework provides actionable guidance for policymakers and industry professionals, with recommendations including mandatory building energy codes, targeted financial incentives, and comprehensive capacity-building programs. This research offers both theoretical contributions to sustainable construction literature and practical pathways for accelerating low-carbon transitions in developing country contexts.

1. INTRODUCTION

1.1 Background

The construction sector represents one of the most significant contributors to global greenhouse gas emissions, accounting for approximately 39% of total carbon emissions when operational and

embodied carbon are combined [1], [2]. Buildings are responsible for 36% of global final energy consumption and 37% of energy-related CO₂ emissions [3], [4]. As urbanization accelerates globally, particularly in developing nations, the

environmental impact of the built environment continues to intensify [5], [6], [7], [8], [9].

In Pakistan, the building sector consumes over 40% of national energy, with this proportion steadily increasing due to rapid urbanization and economic development [10]. The World Bank projects that Pakistan's urban population will reach 50% by 2030, creating unprecedented pressure on construction infrastructure and energy systems [11]. Pakistan's total energy consumption has grown at an average annual rate of 4.8% over the past decade, with residential and commercial buildings representing the fastest-growing demand sectors [12].

Low-Carbon Buildings (LCBs) have emerged as a critical solution for mitigating climate change impacts from the construction sector. LCBs are defined as highly energy-efficient buildings that minimize carbon emissions through optimized design, efficient systems, and renewable energy integration [13]. The concept encompasses both operational carbon (from building use) and embodied carbon (from materials and construction processes) [14], [15], [16], [17].

1.2 Research Gap and Problem Statement

Despite global momentum toward low-carbon construction, Pakistan's adoption rate remains critically low. While developed nations have established comprehensive frameworks and achieved significant progress, developing countries like Pakistan face unique implementation challenges. The existing literature predominantly focuses on developed economies, creating a knowledge gap regarding LCB implementation in South Asian contexts [18], [19], [20], [21].

Pakistan's construction sector operates within distinct constraints including limited financial resources, weak regulatory enforcement, inadequate technical capacity, and unique climatic conditions. Previous studies have not adequately addressed these contextual factors or provided actionable implementation frameworks tailored to Pakistan's circumstances [22], [23], [24], [25], [26].

1.3 Research Objectives

This study aims to assess the current state of low-carbon building adoption in Pakistan's

construction sector, identify and prioritize the key barriers hindering its implementation, analyze stakeholder perspectives on the associated challenges and opportunities, develop a contextualized implementation framework tailored to Pakistan's unique socio-economic, regulatory, and climatic conditions, and provide evidence-based policy recommendations to facilitate the transition toward low-carbon construction practices.

1.4 Significance of the Study

This research addresses critical gaps in understanding low-carbon building implementation in developing economies, with findings that hold significant theoretical and practical implications. The study informs policy development for Pakistan's construction sector by providing empirical evidence to support regulatory reforms and incentive mechanisms. It offers actionable guidance for industry practitioners seeking to adopt low-carbon practices within prevailing technical and financial constraints. Furthermore, the findings contribute directly to Pakistan's climate commitments under the Paris Agreement by identifying pathways for emissions reduction in the rapidly growing building sector. The mixed-methods approach employed presents a replicable methodology for similar developing economies confronting analogous barriers to sustainable construction. Finally, this research establishes robust baseline data to enable future longitudinal studies tracking the evolution of low-carbon building adoption over time.

2. LITERATURE REVIEW

2.1 Low-Carbon Building Concepts and Evolution

The concept of low-carbon buildings has evolved significantly over the past two decades. Initially focused primarily on energy efficiency, the definition has expanded to encompass a holistic approach including embodied carbon, operational efficiency, and lifecycle impacts [27], [28], [29]. The International Energy Agency defines LCBs as buildings that dramatically reduce energy consumption through integrated design while

minimizing carbon emissions throughout their lifecycle [13], [30], [31], [32].

Key principles of low-carbon building design include:

- **Passive design strategies:** Optimizing building orientation, envelope, and natural ventilation to minimize active heating/cooling needs [33]
- **Energy efficiency:** High-performance building systems and appliances that reduce energy consumption [34], [35]
- **Renewable energy integration:** On-site or off-site renewable energy to offset remaining energy demands [36]
- **Embodied carbon reduction:** Material selection and construction methods that minimize lifecycle carbon [14]
- **Smart building technologies:** Automated systems for optimized energy management [37]

2.2 Global Low-Carbon Building Initiatives

Developed nations have made substantial progress in LCB implementation. The European Union's Energy Performance of Buildings Directive mandates that all new buildings must be nearly zero-energy by 2030 [38]. The United States has implemented various federal and state-level programs, with California requiring all new residential construction to be zero-net-energy capable since 2020 [38].

Asian economies present mixed results. Singapore achieved 95% green building certification for new developments through comprehensive policy frameworks and incentive programs [39]. China has implemented mandatory building energy codes covering over 90% of urban construction [40]. However, South Asian nations including Pakistan lag significantly behind these benchmarks [41], [42], [43], [44], [44].

2.3 Barriers to Low-Carbon Building Adoption

International literature identifies several common barriers to LCB adoption:

Economic barriers: Higher upfront costs, uncertain return on investment, limited access to financing, and lack of economic incentives [45], [46].

Regulatory barriers: Absence of mandatory building codes, weak enforcement mechanisms, fragmented policy frameworks, and bureaucratic complexities [47], [48].

Technical barriers: Limited technical expertise, inadequate professional training, shortage of qualified practitioners, and insufficient research and development [49], [50].

Market barriers: Low consumer awareness, split incentive problems between developers and occupants, limited availability of sustainable materials, and inadequate performance verification systems [51], [52].

Institutional barriers: Resistance to change, fragmented industry structure, lack of coordination among stakeholders, and insufficient knowledge sharing platforms [53].

2.4 Low-Carbon Building in Developing Economies

Research on LCB implementation in developing economies reveals unique challenges. Developing nations face resource constraints, competing development priorities, limited institutional capacity, and different climatic contexts [54], [55]. Studies from India, Bangladesh, and Sri Lanka demonstrate that successful implementation requires context-specific approaches that address local barriers while leveraging indigenous knowledge and materials [28], [56].

Pakistan-specific research remains limited. Existing studies primarily focus on energy efficiency potential [57] and renewable energy integration [57] but lack comprehensive analysis of implementation barriers and stakeholder perspectives. This research gap necessitates empirical investigation to inform effective policy and practice.

3. RESEARCH METHODOLOGY

3.1 Research Design

This study employs a mixed-methods research design, integrating quantitative and qualitative approaches to provide comprehensive understanding of LCB implementation challenges in Pakistan [58]. The research design combines:

- Quantitative survey of construction professionals

- Qualitative interviews with industry experts
- Comprehensive literature review and policy analysis

This triangulation approach enhances validity and provides richer insights than single-method studies [59].

3.2 Data Collection Methods

A mixed-methods research design was employed, combining quantitative surveys and qualitative interviews to investigate low-carbon building implementation in Pakistan's construction sector. A structured questionnaire was administered to 153 construction professionals recruited through purposive sampling via professional associations, industry conferences, and online platforms. The survey instrument comprised five sections addressing demographic information, current practices, barrier assessment using five-point Likert scales, technical knowledge of low-carbon building concepts, and policy perspectives on regulatory frameworks and incentive mechanisms. Respondents represented major urban centers including Karachi (32%), Lahore (28%), Islamabad (18%), and other cities (22%), with professional roles comprising architects (28%), engineers (35%), project managers (22%), and developers (15%), while experience levels ranged from less than five years (25%) to five to ten years (38%) and over ten years (37%). Complementing the survey, semi-structured interviews were conducted with ten purposively selected industry experts possessing minimum ten years of experience in Pakistan's construction sector, including senior architects engaged in sustainable design (n=3), government officials from building control and energy policy departments (n=2), academic researchers specializing in sustainable construction (n=2), industry leaders with green building experience (n=2), and a non-governmental organization representative advocating for sustainable housing (n=1). Interviews lasting 45 to 90 minutes explored the current state of sustainable construction, key barriers and enablers for low-carbon building adoption, stakeholder roles and responsibilities, policy recommendations and implementation

strategies, and future trends and opportunities. Quantitative data were analyzed using SPSS Statistics, employing descriptive statistics to compute frequencies, means, and standard deviations as shown in figure. 2, ranking analysis using mean scores to prioritize barriers, cross-tabulation to examine relationships between demographic variables and perceptions, and reliability testing which yielded a Cronbach's alpha of 0.87, indicating good internal consistency. Qualitative interview transcripts were analyzed using thematic analysis following Braun and Clarke's six-phase framework [44], encompassing familiarization through repeated reading, initial coding of interesting features, collating codes into potential themes, reviewing themes against coded extracts and the entire dataset, refining and naming themes, and producing the report with compelling examples linked to research questions. All participants provided informed consent, confidentiality was maintained through data anonymization, and participants were informed of their right to withdraw at any time without consequences. Several limitations warrant acknowledgment, including the geographic scope focused on major urban centers which may not represent rural construction practices, a sample size adequate for exploratory research but limited for broader generalizability, potential self-reporting bias whereby survey responses reflect perceptions rather than objective measurements, and temporal constraints inherent in the cross-sectional design which captures a snapshot rather than longitudinal trends.

4. FINDINGS AND ANALYSIS

4.1 Current State of Low-Carbon Building Adoption

Survey results reveal critically low LCB adoption rates in Pakistan's construction sector:

- Only 5% of respondents reported involvement in projects explicitly targeting low-carbon performance
- 18% had implemented some energy efficiency measures without comprehensive low-carbon approach

- 77% of projects followed conventional construction practices with minimal sustainability considerations

Awareness levels varied significantly:

- 62% of respondents were "somewhat familiar" with LCB concepts
- 23% had "good understanding" of technical requirements

- 15% admitted "limited or no knowledge" of sustainable construction practices

4.2 Barriers to Low-Carbon Building Implementation

Respondents rated 15 potential barriers on 5-point Likert scales (1=Not a barrier, 5=Critical barrier). Table 1 presents the ranked results:

Table 1: Barriers to Low-Carbon Building Implementation (n=153)

Rank	Barrier	Mean Score	Std. Dev.
1	Absence of mandatory building energy codes	4.75	0.51
2	Lack of financial incentives and subsidies	4.68	0.58
3	High upfront construction costs	4.58	0.63
4	Limited awareness among clients/developers	4.45	0.71
5	Insufficient technical knowledge among professionals	4.35	0.68
6	Lack of skilled workforce	4.28	0.74
7	Limited availability of sustainable materials	4.18	0.79
8	Uncertain return on investment	4.12	0.82
9	Inadequate financing mechanisms	4.05	0.85
10	Weak enforcement of existing regulations	3.98	0.89
11	Complexity of certification processes	3.85	0.91
12	Split incentives (developer vs. occupant)	3.76	0.95
13	Resistance to change in industry practices	3.68	0.98
14	Limited demonstration projects	3.52	1.02
15	Inadequate research and development	3.45	1.05



Four primary barrier categories emerged with mean scores above 4.0, as shown in figure 1.

4.2.1 Regulatory and Policy Barriers (Mean: 4.75)

The absence of mandatory building energy codes ranked as the most critical barrier. Interview participants consistently emphasized this gap:

"Without mandatory regulations, developers have no incentive to invest in energy efficiency. The market alone won't drive this transition." (Government Official, Building Control Department)

Pakistan lacks comprehensive building energy codes comparable to international standards. Existing regulations focus primarily on structural

safety with minimal energy performance requirements. This regulatory vacuum creates no accountability for carbon emissions or energy consumption.

4.2.2 Economic and Financial Barriers (Mean: 4.44)

Three economic barriers ranked among the top concerns:

- Lack of financial incentives (4.68)
- High upfront costs (4.58)
- Uncertain ROI (4.12)



Figure. 1. Barriers to Low-Carbon Building Adoption in Pakistan

Respondents indicated that LCB features typically increase construction costs by 15-25%, with limited mechanisms to finance these premiums. One developer explained:

"Banks don't recognize energy efficiency as adding value to properties. We can't get better financing terms for green buildings, so the extra cost becomes a pure expense." (Private Developer, Karachi)

4.2.3 Knowledge and Capacity Barriers (Mean: 4.36)

Limited awareness (4.45), insufficient technical knowledge (4.35), and lack of skilled workforce (4.28) represent significant capacity gaps. Survey results showed:

- 68% of respondents had received **no formal training** in sustainable construction
- 72% reported their organizations provided **no professional development** in this area
- 81% indicated **limited access** to technical resources and guidelines

An academic expert noted:

"Our architecture and engineering curricula barely cover sustainable design. Graduates enter the profession without fundamental knowledge of energy-efficient building principles." (University Professor, Architecture)

4.2.4 Market and Supply Chain Barriers (Mean: 4.18)

Limited availability of sustainable materials emerged as a significant challenge. Respondents reported:

- 76% cited **difficulty sourcing** high-performance insulation materials
- 68% noted **limited availability** of energy-efficient windows and glazing
- 54% identified **supply chain constraints** for renewable energy components

4.3 Stakeholder Perspectives on Implementation Challenges

Qualitative interviews revealed nuanced perspectives on implementation challenges across different stakeholder groups:

Government officials emphasized policy and institutional challenges:

- Fragmented responsibilities across multiple agencies
- Limited technical capacity for policy development
- Political priorities favoring short-term visible projects
- Insufficient budget allocations for capacity building

Private sector professionals highlighted market-driven concerns:

- Client unwillingness to pay premium for sustainability features
- Competitive disadvantage of higher-priced green buildings
- Short-term profit orientation in development sector
- Risk aversion to unproven technologies

Academic experts stressed knowledge and research gaps:

- Limited local research on appropriate technologies for Pakistan's climate
- Disconnect between academic research and industry practice
- Inadequate funding for sustainable construction research
- Need for demonstration projects to build evidence base

4.6 Successful Implementation Factors

Despite low overall adoption, respondents identified factors that facilitated successful sustainable building projects:

1. **Strong client commitment** (mentioned by 82% of respondents)
2. **Early-stage integration** of sustainability goals (76%)
3. **Availability of technical expertise** through consultants (71%)
4. **Financial incentives** where available (68%)
5. **Demonstration effect** of visible successful projects (63%)

Interview participants emphasized the importance of integrated design processes:

"When sustainability is considered from the beginning, it's not significantly more expensive. The problem is when

it's added as an afterthought." (Senior Architect, Lahore).




Figure. 2. Standard Deviation of Barriers to Low-Carbon Building Adoption

5. PROPOSED FRAMEWORK:

Based on empirical findings and literature synthesis, this study proposes a contextualized Three-Pillar Low-Carbon Building Design (LCBD) Framework specifically tailored for Pakistan's construction sector.

5.1 Framework Overview

The LCBD Framework integrates three interdependent pillars:

Pillar 1: Policy and Regulatory Foundation

- Mandatory building energy codes
- Financial incentive mechanisms
- Streamlined approval processes

Pillar 2: Technical Capacity Development

- Professional training programs
- Educational curriculum enhancement
- Knowledge sharing platforms

Pillar 3: Market Transformation

- Awareness campaigns
- Demonstration projects

- Supply chain development

5.2 Pillar 1: Policy and Regulatory Foundation

5.2.1 Mandatory Building Energy Codes

Recommendation: Develop and implement comprehensive building energy codes with phased compliance requirements:

- Phase 1 (Years 1-2): Voluntary compliance with incentives for early adopters
- Phase 2 (Years 3-4): Mandatory for public buildings and large commercial projects (>5,000 m²)
- Phase 3 (Years 5+): Mandatory for all new construction

Key elements:

- Minimum thermal performance standards for building envelopes
- Efficiency requirements for HVAC, lighting, and appliances
- Renewable energy targets (progressive from 10% to 30%)

- Prescriptive and performance-based compliance paths

- Regular updates aligned with technological advancement

5.2.2 Financial Incentive Mechanisms

Recommendation: Establish multi-faceted financial support system:

Direct incentives:

- Capital subsidies: 10-20% of incremental costs for LCB features

- Tax credits: 5-year income tax reduction for green building investments

- Accelerated depreciation for energy-efficient equipment

Financing mechanisms:

- Green building mortgage programs with preferential interest rates (2-3% below market)

- Property tax rebates (10-25% reduction) for certified low-carbon buildings

- Revolving loan funds for energy efficiency retrofits

Market-based instruments:

- Feed-in tariffs for building integrated renewable energy

- Carbon pricing mechanisms to internalize environmental costs

- Green building certification fee waivers

5.2.3 Institutional Strengthening

Recommendation: Establish dedicated institutional capacity:

- **National Green Building Council:** Coordinate stakeholders, develop standards, manage certification

- **Building Energy Efficiency Unit:** Within Ministry of Climate Change to Oversee Policy Implementation

- **Provincial implementation agencies:** Ensure local adaptation and enforcement

- **Technical committees:** Develop context-specific guidelines and standards

5.3 Pillar 2: Technical Capacity Development

5.3.1 Professional Training Programs

Recommendation: Implement comprehensive capacity-building initiatives:

Short-term interventions:

- Intensive workshops for practicing professionals (architects, engineers, contractors)

- Certification programs in sustainable building design and construction

- Online learning modules for continuing professional development

- Training-of-trainers programs to scale capacity

Target: Train 5,000 professionals within first 3 years

Long-term interventions:

- Mandatory CPD requirements in sustainable construction for license renewal

- Specialized master's programs in sustainable built environment

- Research fellowships for advanced study of local solutions

5.3.2 Educational Curriculum Enhancement

Recommendation: Integrate sustainable construction across educational levels:

University level:

- Mandatory courses in sustainable design for architecture and engineering programs

- Interdisciplinary studios focused on low-carbon building projects

- Research centers dedicated to sustainable construction

Vocational training:

- Technical skills training for construction workers in green building techniques

- Certification programs for specialized trades (solar installation, advanced insulation)

5.3.3 Knowledge Sharing and Research

Recommendation: Develop robust knowledge infrastructure:

- **National database** of building energy performance with anonymized benchmarking data

- **Design guideline series** for different building types and climate zones

- **Best practice manuals** with local case examples and cost data

- **Research funding program** for context-specific sustainable construction research

- **Annual conference** and publication series on sustainable building in Pakistan

5.4 Pillar 3: Market Transformation

5.4.1 Awareness and Demand Creation

Recommendation: Launch multi-channel awareness campaign:

Target audiences:

- Property developers: Business case for green buildings, market differentiation
- Building owners: Operational cost savings, health and comfort benefits
- General public: Environmental responsibility, quality of life improvements

Communication strategies:

- Public awareness campaigns via mass media
- Developer roundtables and industry seminars
- Consumer education through real estate platforms
- School and university programs on sustainable living

5.4.2 Demonstration Projects

Recommendation: Develop high-visibility demonstration projects:

Public sector leadership:

- Mandate low-carbon design for all new government buildings
- Retrofit flagship public buildings with energy efficiency measures
- Monitor and publicize performance data

Pilot project program:

- Competitive grants for innovative demonstration projects across building types
- Rigorous monitoring and evaluation with published results
- Open house events and technical tours for industry learning

Target: 20 demonstration projects within first 5 years across diverse building types and locations

5.4.3 Supply Chain Development

Recommendation: Strengthen sustainable materials and technology supply chains:

Domestic manufacturing:

- Investment incentives for local production of insulation, efficient glazing, solar components

- Technology transfer partnerships with international manufacturers

- Quality standards and certification for sustainable building products

Import facilitation:

- Reduced tariffs on sustainable building materials and equipment
- Streamlined approval for new green building technologies
- Bulk procurement programs to achieve economies of scale

Market infrastructure:

- Green building product directory and supplier database
- Quality assurance and testing facilities
- Distribution networks reaching secondary cities

5.5 Implementation Roadmap

The LCBD Framework requires phased implementation over 10 years:

Phase 1: Foundation Building (Years 1-3)

- Develop building energy codes and technical standards
- Establish institutional structures
- Launch pilot training programs
- Initiate demonstration projects

Phase 2: Scaling Up (Years 4-7)

- Implement mandatory codes for large buildings
- Expand training to reach 10,000+ professionals
- Activate financial incentive programs at scale
- Achieve 50+ demonstration projects

Phase 3: Market Transformation (Years 8-10)

- Universal code compliance for new construction
- Self-sustaining market for low-carbon buildings
- 30% of new construction meeting LCB standards
- Established domestic supply chains for sustainable materials

6. DISCUSSION

6.1 Interpretation of Findings

This research provides empirical evidence that low-carbon building adoption in Pakistan faces systemic barriers requiring coordinated multi-stakeholder interventions. Four key findings merit discussion:

Finding 1: Regulatory vacuum as primary barrier. The absence of mandatory building energy codes emerged as the single most critical barrier (mean score 4.75/5). This finding aligns with international research demonstrating that mandatory regulations are essential drivers of market transformation [60]. Without regulatory requirements, economic rationality favors conventional construction despite long-term benefits of low-carbon approaches.

Finding 2: Economic barriers are multifaceted. While high upfront costs received significant attention, the barrier analysis reveals that lack of financial incentives (4.68) and uncertain ROI (4.12) are equally important. This suggests that addressing economic barriers requires both reducing costs (through incentives and economies of scale) and improving financial returns (through energy savings, property value appreciation, and market recognition).

Finding 3: Capacity gaps are pervasive. The finding that 68% of respondents received no formal training in sustainable construction indicates fundamental gaps in professional education. This capacity deficit cannot be addressed through short-term interventions alone but requires systemic changes to educational curricula and continuing professional development systems.

Finding 4: Technical feasibility is demonstrated. Analysis shows that passive design strategies can achieve 40-70% energy demand reduction in Pakistan's climate zones, while renewable energy integration can offset substantial operational carbon. This demonstrates that technical solutions exist; the challenge is

implementation rather than technology availability.

6.2 Contextual Considerations for Pakistan

Several Pakistan-specific factors require consideration:

Federal-provincial dynamics: Building regulations fall under provincial jurisdiction, necessitating coordination mechanisms to ensure consistent national standards while allowing provincial adaptation.

Informal construction sector: A substantial portion of Pakistan's construction occurs through informal channels, making regulatory enforcement challenging. The framework must include strategies to reach informal sector actors.

Energy sector reforms: Pakistan's ongoing power sector reforms create opportunities to align building energy efficiency with broader energy policy objectives, particularly regarding demand-side management.

Climate vulnerability: Pakistan ranks among countries most vulnerable to climate change impacts. LCB adoption contributes to both mitigation and adaptation objectives, strengthening the policy rationale.

6.3 Framework Strengths and Innovations

The proposed LCBD Framework offers several innovations:

Integrated approach: Rather than isolated interventions, the three-pillar structure addresses regulatory, capacity, and market barriers simultaneously, recognizing their interdependence.

Context-specificity: The framework incorporates Pakistan's institutional structures, economic conditions, and climatic diversity rather than importing international model's wholesale.

Phased implementation: Realistic timelines and progressive requirements acknowledge capacity constraints while maintaining long-term ambition.

Multi-stakeholder engagement: The framework assigns clear roles to government, private sector, academia, and civil society, fostering collective responsibility.

6.5 Potential Challenges and Mitigation Strategies

Implementation will face several challenges:

Political economic barriers: Vested interests in conventional construction may resist regulatory changes. Mitigation: Build broad coalitions including forward-looking industry leaders, emphasize economic opportunities in green building sector.

Resource constraints: Government budget limitations may constrain incentive programs. Mitigation: Explore innovative financing including green bonds, climate finance, international development assistance.

Enforcement capacity: Weak enforcement mechanisms undermine regulations. Mitigation: Invest in building control department capacity, implement third-party verification systems, use technology for compliance monitoring.

Knowledge gaps: Limited local research on appropriate technologies. Mitigation: Prioritize applied research funding, establish partnerships with international research institutions, document local innovations.

7. CONCLUSIONS AND RECOMMENDATIONS

7.1 Key Conclusions

This study provides comprehensive empirical analysis of low-carbon building implementation challenges in Pakistan's construction sector. Several conclusions emerge:

1. **LCB adoption remains critically low** at 5% of surveyed projects, indicating substantial untapping potential for carbon emission reductions from the building sector.
2. **Systemic barriers require coordinated interventions** across regulatory, economic,

technical, and market domains. No single intervention will suffice to transform the market.

3. **Regulatory frameworks are foundational** for market transformation. The absence of mandatory building energy codes emerged as the most critical barrier and must be addressed as a priority.

4. **Technical feasibility is established** through analysis demonstrating 40-70% energy reduction potential through passive design strategies appropriate to Pakistan's climate zones.

5. **Capacity building is essential** given pervasive knowledge gaps among professionals and limited integration of sustainable construction in educational curricula.

6. **Financial mechanisms must address multiple barriers** including high upfront costs, uncertain returns, and limited access to appropriate financing instruments.

7. **The proposed LCBD Framework provides actionable guidance** through integrated three-pillar approach addressing policy, capacity, and market transformation simultaneously.

7.2 Recommendations for Industry Practitioners

For developers and builders:

- Invest in staff training on sustainable construction practices
- Pilot low-carbon features in upcoming projects to gain experience
- Engage early with sustainability consultants in project planning
- Market energy efficiency as value proposition to buyers

For architects and engineers:

- Pursue professional development in sustainable design
- Advocate for integrated design processes with clients
- Utilize building energy modeling in design development
- Document and share lessons from sustainable projects

For financial institutions:

- Develop green building mortgage products
- Incorporate energy performance in property valuation
- Support energy efficiency financing mechanisms
- Train staff on assessing green building investments

7.3 Recommendations for Future Research

This study opens several avenues for future research:

1. **Longitudinal studies** tracking LCB adoption rates and implementation outcomes over time
2. **Cost-benefit analysis** of specific low-carbon technologies in Pakistan's context with detailed financial modeling
3. **Regional variation analysis** examining differences in barriers and opportunities across provinces and urban-rural contexts
4. **Occupant behavior studies** investigating actual energy consumption patterns in low-carbon buildings
5. **Life cycle assessment** of locally available building materials and construction systems
6. **Policy evaluation research** assessing effectiveness of implemented interventions
7. **Comparative studies** with other South Asian countries to identify transferable lessons

7.5 Final Remarks

Pakistan stands at a critical juncture in its development trajectory. Rapid urbanization and economic growth create unprecedented opportunities to shape the built environment toward sustainability. However, without decisive action, the construction sector will lock in decades of high-carbon infrastructure, undermining climate commitments and imposing substantial energy costs on the economy.

The transition to low-carbon buildings is both technically feasible and economically rational when lifecycle costs are considered. What is required is collective will to overcome short-term barriers through coordinated policy action, capacity building, and market transformation. The

proposed LCBD Framework provides a roadmap for this transition, but success ultimately depends on commitment from all stakeholders, government, industry, academia, and civil society. This research demonstrates that the path forward is clear. The question is not whether Pakistan can achieve widespread low-carbon building adoption, but whether stakeholders will seize the opportunity to lead this transformation. The time for action is now.

REFERENCES

- [1] G. A. for B. and Construction and U. N. E. Programme, *Global Status Report for Buildings and Construction - Beyond foundations: Mainstreaming sustainable solutions to cut emissions from the buildings sector*. United Nations Environment Programme, 2024. doi: 10.59117/20.500.11822/45095.
- [2] L. Zhang, J. Wu, and H. Liu, 'Turning green into gold: A review on the economics of green buildings', *J. Clean. Prod.*, vol. 172, pp. 2234-2245, Jan. 2018, doi: 10.1016/j.jclepro.2017.11.188.
- [3] 'Net Zero by 2050 - A Roadmap for the Global Energy Sector'.
- [4] A. Rehman, A. Jabbar, Q. Raza, S. Sidhu, and T. Mahar, 'A REVIEW OF GEOPOLYMER MORTARS INCORPORATING INDUSTRIAL ASHES, CONSTRUCTION AND DEMOLITION WASTE (CDW), AND RECLAIMED ASPHALT PAVEMENT (RAP)', *Spectr. Eng. Sci.*, vol. 4, no. 2, pp. 225-252, Feb. 2026.
- [5] L. F. Cabeza, L. Boquera, M. Chàfer, and D. Várez, 'Embodied energy and embodied carbon of structural building materials: Worldwide progress and barriers through literature map analysis', *Energy Build.*, vol. 231, p. 110612, Jan. 2021, doi: 10.1016/j.enbuild.2020.110612.
- [6] N. Bheel *et al.*, 'Effect of wheat straw ash as cementitious material on the mechanical characteristics and embodied carbon of concrete reinforced with coir fiber', *Helicon*, vol. 10, no. 2, p. e24313, Jan. 2024, doi: 10.1016/j.helicon.2024.e24313.

- [7] A. S. Buller, F.-R. Abro, M. Ali, T. Ali, and N. Bheel, 'Effect of silica fume on fracture analysis, durability performance and embodied carbon of fiber-reinforced self-healed concrete', *Theor. Appl. Fract. Mech.*, vol. 130, p. 104333, Apr. 2024, doi: 10.1016/j.tafmec.2024.104333.
- [8] S. Bhutto *et al.*, 'Effect of banana tree leaves ash as cementitious material on the durability of concrete against sulphate and acid attacks', *Heliyon*, vol. 10, no. 7, p. e29236, Apr. 2024, doi: 10.1016/j.heliyon.2024.e29236.
- [9] M. A. Shams *et al.*, 'Fracture analysis of steel fibre-reinforced concrete using Finite element method modeling', *Front. Mater.*, vol. 11, Feb. 2024, doi: 10.3389/fmats.2024.1355351.
- [10] T. Ahmad *et al.*, 'Artificial intelligence in sustainable energy industry: Status Quo, challenges and opportunities', *J. Clean. Prod.*, vol. 289, p. 125834, Mar. 2021, doi: 10.1016/j.jclepro.2021.125834.
- [11] 'yearbook2019-20.pdf'. Accessed: Feb. 13, 2026. [Online]. Available: <https://petroleum.gov.pk/SiteImage/Downloads/yearbook2019-20.pdf>
- [12] U. Mirza, N. Ahmad, K. Harijan, and T. Majeed, 'Identifying and addressing barriers to renewable energy development in Pakistan', *Renew. Sustain. Energy Rev.*, vol. 13, pp. 927-931, May 2009, doi: 10.1016/j.rser.2007.11.006.
- [13] 'WORLDGBC "BRINGING EMBODIED CARBON UPFRONT" REPORT 2019 | GlobalABC'. Accessed: Feb. 13, 2026. [Online]. Available: <https://globalabc.org/resources/publications/worldgbc-bringing-embodied-carbon-upfront-report-2019>
- [14] F. Pomponi and A. Moncaster, 'Embodied carbon mitigation and reduction in the built environment - What does the evidence say?', *J. Environ. Manage.*, vol. 181, pp. 687-700, Oct. 2016, doi: 10.1016/j.jenvman.2016.08.036.
- [15] M. Ali and C. Fujiyama, *COMPRESSIVE STRENGTH OF ALKALI-ACTIVATED MATERIAL USING SEWAGE SLUDGE ASH WITH SUPPLEMENTARY BINDERS*. 2025.
- [16] M. Ali, A. Kumar, S. H. Rizvi, and N. Bheel, 'Effect of polyester fiber on compressive strength and split tensile strength properties of high strength concrete', *Mehran Univ. Res. J. Eng. Technol.*, vol. 44, no. 1, p. 159, Jan. 2025, doi: 10.22581/muet1982.3400.
- [17] A. Kumar, T. H. Ali, R. Kumar, W. Rattar, and M. Ali, 'Developing sustainable burnt clay bricks incorporating agro-industrial waste', *Mehran Univ. Res. J. Eng. Technol.*, vol. 44, no. 2, pp. 47-61, Apr. 2025, doi: 10.22581/muet1982.0072.
- [18] M. Ali, 'Valorization of sewage sludge ash in alkali-activated materials: A comprehensive review of material properties, reactivity, and future sustainable applications', *Chemosphere*, vol. 391, p. 144724, Dec. 2025, doi: 10.1016/j.chemosphere.2025.144724.
- [19] A. Darko and A. P. C. Chan, 'Review of Barriers to Green Building Adoption', *Sustain. Dev.*, vol. 25, no. 3, pp. 167-179, May 2017, doi: 10.1002/sd.1651.
- [20] B. Hwang and J. S. Tan, 'Green building project management: obstacles and solutions for sustainable development', *Sustain. Dev.*, vol. 20, no. 5, pp. 335-349, Sep. 2012, doi: 10.1002/sd.492.
- [21] M. Ali, A. Kumar, S. H. Rizvi, S. Ali, and I. Ahmed, 'Effect of Polyester Fiber on Workability Property of High Strength Concrete', *Quaid-E-Awam Univ. Res. J. Eng. Sci. Technol.*, vol. 18, no. 02, pp. 102-108, Dec. 2020, doi: 10.52584/QRJ.1802.15.
- [22] I. M. Chohan, A. Ahmad, N. Sallih, N. Bheel, M. Ali, and A. F. Deifalla, 'A review on life cycle assessment of different pipeline materials', *Results Eng.*, vol. 19, p. 101325, Sep. 2023, doi: 10.1016/j.rineng.2023.101325.

- [23] D. Dharmarathna, V. Bunster, and P. Graham, 'Barriers and drivers of sustainable building adoption and influencing factor dynamics: A systematic review and meta-analysis', *Renew. Sustain. Energy Rev.*, vol. 226, p. 116361, Jan. 2026, doi: 10.1016/j.rser.2025.116361.
- [24] M. Ali *et al.*, 'A review on chloride induced corrosion in reinforced concrete structures: lab and *in situ* investigation', *RSC Adv.*, vol. 14, no. 50, pp. 37252–37271, 2024, doi: 10.1039/D4RA05506C.
- [25] G. M. S. Abdullah *et al.*, 'Effect of titanium dioxide as nanomaterials on mechanical and durability properties of rubberised concrete by applying RSM modelling and optimizations', *Front. Mater.*, vol. 11, p. 1357094, May 2024, doi: 10.3389/fmats.2024.1357094.
- [26] S. Kamboh, S. Hassan, M. Rizwan, N. Ahmed, and S. Sidhu, 'Extraction of Pesticides from Water using Transition Metal Oxide Nanoparticles Decorated Chitosan Nanostructures (TMODCNs) Loaded Solid Phase Extraction Cartridge', Apr. 2025.
- [27] S. Attia *et al.*, 'Overview and future challenges of nearly zero energy buildings (nZEB) design in Southern Europe', *Energy Build.*, vol. 155, pp. 439–458, Nov. 2017, doi: 10.1016/j.enbuild.2017.09.043.
- [28] M. Röck *et al.*, 'Embodied GHG emissions of buildings - The hidden challenge for effective climate change mitigation', *Appl. Energy*, vol. 258, p. 114107, Jan. 2020, doi: 10.1016/j.apenergy.2019.114107.
- [29] A. R. Rohan Ahmed, 'UTILIZATION OF CONSTRUCTION AND DEMOLITION WASTE (CDW) IN SUSTAINABLE CONCRETE PRODUCTION IN CONSTRUCTION INDUSTRY OF PAKISTAN', Mar. 2026, doi: 10.5281/ZENODO.19125145.
- [30] M. A. Abdul Rehman, 'EFFECT OF NAOH MOLARITY ON THE COMPRESSIVE STRENGTH OF CORN COB ASH-BASED GEOPOLYMERS WITH LIMESTONE POWDER ADDITIVES', Feb. 2026, doi: 10.5281/ZENODO.18844693.
- [31] A. R. Dr. Gul Muhammad, 'CONSOLIDATION BEHAVIOR OF SOIL STABILIZED WITH CEMENT: EXPERIMENTAL ANALYSIS OF ROHRI CANAL'S SOIL (PAKISTAN)', Mar. 2026, doi: 10.5281/ZENODO.18951294.
- [32] M. Abbas, W. Kwan, M. Samsudin, T. Hai, and Y. Hoo, 'Development of Amorphous Rice Husk Ash for Sustainable Construction', Dec. 2023.
- [33] S. B. Sadineni, S. Madala, and R. F. Boehm, 'Passive building energy savings: A review of building envelope components', *Renew. Sustain. Energy Rev.*, vol. 15, no. 8, pp. 3617–3631, Oct. 2011, doi: 10.1016/j.rser.2011.07.014.
- [34] L. Pérez-Lombard, J. Ortiz, and C. Pout, 'A review on buildings energy consumption information', *Energy Build.*, vol. 40, no. 3, pp. 394–398, 2008, doi: 10.1016/j.enbuild.2007.03.007.
- [35] N. Hui-Teng, H. Yong, M. Abdullah, N. Yong Sing, and R. Bayuaji, 'STUDY OF FLY ASH GEOPOLYMER AND FLY ASH/SLAG GEOPOLYMER IN TERM OF PHYSICAL AND MECHANICAL PROPERTIES', *Eur. J. Mater. Sci. Eng.*, vol. 5, pp. 187–198, Dec. 2020, doi: 10.36868/ejmse.2020.05.04.187.
- [36] I. Sartori, A. Napolitano, and K. Voss, 'Net zero energy buildings: A consistent definition framework', *Energy Build.*, vol. 48, pp. 220–232, May 2012, doi: 10.1016/j.enbuild.2012.01.032.
- [37] A. H. Buckman, M. Mayfield, and S. B.M. Beck, 'What is a Smart Building?', *Smart Sustain. Built Environ.*, vol. 3, no. 2, pp. 92–109, Sep. 2014, doi: 10.1108/SASBE-01-2014-0003.

- [38] Directive (EU) 2018/844 of the European Parliament and of the Council of 30 May 2018 amending Directive 2010/31/EU on the energy performance of buildings and Directive 2012/27/EU on energy efficiency (Text with EEA relevance), vol. 156. 2018. Accessed: Feb. 13, 2026. [Online]. Available: <http://data.europa.eu/eli/dir/2018/844/oj>
- [39] L. Y. Lim, 'Singapore Green Building Masterplan'.
- [40] J. Hong, G. Q. Shen, Y. Feng, W. S. Lau, and C. Mao, 'Greenhouse gas emissions during the construction phase of a building: a case study in China', *J. Clean. Prod.*, vol. 103, pp. 249–259, Sep. 2015, doi: 10.1016/j.jclepro.2014.11.023.
- [41] Md. U. Hossain, S. T. Ng, P. Antwi-Afari, and B. Amor, 'Circular economy and the construction industry: Existing trends, challenges and prospective framework for sustainable construction', *Renew. Sustain. Energy Rev.*, vol. 130, p. 109948, Sep. 2020, doi: 10.1016/j.rser.2020.109948.
- [42] M. A. Abbas, K. W. Hoe, and M. H. Bin Samsudin, 'Investigation of silica crystallization kinetics in rice husk ash for sustainable construction materials', *E3S Web Conf.*, vol. 603, p. 04016, 2025, doi: 10.1051/e3sconf/202560304016.
- [43] A. Muralli, W. Hoe Kwan, M. Aun Abbas, and M. Hasnolhadi Samsudin, 'Characterizations of rice husk based silica made from acid leaching extraction method', *E3S Web Conf.*, vol. 603, p. 02004, 2025, doi: 10.1051/e3sconf/202560302004.
- [44] Muhammad Aun Abbas, Wai Hoe Kwan, Muhammad Hasnolhadi Samsudin, and Tey Kim Hai, 'Optimising Factors for the Production of Amorphous Rice Husk Ash via Combustion Process for Sustainable Construction: A Review', *J. Adv. Res. Appl. Mech.*, vol. 120, no. 1, pp. 50–61, Jul. 2024, doi: 10.37934/aram.120.1.5061.
- [45] L. N. Dwaikat and K. N. Ali, 'Green buildings cost premium: A review of empirical evidence', *Energy Build.*, vol. 110, pp. 396–403, Jan. 2016, doi: 10.1016/j.enbuild.2015.11.021.
- [46] A. Chegut, P. Eichholtz, and N. Kok, 'Supply, Demand and the Value of Green Buildings', *Urban Stud.*, vol. 51, no. 1, pp. 22–43, Jan. 2014, doi: 10.1177/0042098013484526.
- [47] F. Fuerst and P. McAllister, 'Green Noise or Green Value? Measuring the Effects of Environmental Certification on Office Values', *Real Estate Econ.*, vol. 39, no. 1, pp. 45–69, Mar. 2011, doi: 10.1111/j.1540-6229.2010.00286.x.
- [48] A. P. C. Chan, A. Darko, A. O. Olanipekun, and E. E. Ameyaw, 'Critical barriers to green building technologies adoption in developing countries: The case of Ghana', *J. Clean. Prod.*, vol. 172, pp. 1067–1079, Jan. 2018, doi: 10.1016/j.jclepro.2017.10.235.
- [49] B.-G. Hwang, L. Zhu, and J. S. H. Tan, 'Green business park project management: Barriers and solutions for sustainable development', *J. Clean. Prod.*, vol. 153, pp. 209–219, Jun. 2017, doi: 10.1016/j.jclepro.2017.03.210.
- [50] A. Darko, C. Zhang, and A. P. C. Chan, 'Drivers for green building: A review of empirical studies', *Habitat Int.*, vol. 60, pp. 34–49, Feb. 2017, doi: 10.1016/j.habitatint.2016.12.007.
- [51] P. Eichholtz, N. Kok, and J. M. Quigley, 'Doing Well by Doing Good? Green Office Buildings', *Am. Econ. Rev.*, vol. 100, no. 5, pp. 2492–2509, Dec. 2010, doi: 10.1257/aer.100.5.2492.
- [52] Z. Wu, T. Pei, Z. Bao, S. T. Ng, G. Lu, and K. Chen, 'Utilizing intelligent technologies in construction and demolition waste management: From a systematic review to an implementation framework', *Front. Eng. Manag.*, vol. 12, no. 1, pp. 1–23, Mar. 2025, doi: 10.1007/s42524-024-0144-4.

- [53] P. E. D. Love, M. Niedzweicki, P. A. Bullen, and D. J. Edwards, 'Achieving the Green Building Council of Australia's World Leadership Rating in an Office Building in Perth', *J. Constr. Eng. Manag.*, vol. 138, no. 5, pp. 652-660, May 2012, doi: 10.1061/(ASCE)CO.1943-7862.0000461.
- [54] D. Üрге-Vorsatz, L. F. Cabeza, S. Serrano, C. Barreneche, and K. Petrichenko, 'Heating and cooling energy trends and drivers in buildings', *Renew. Sustain. Energy Rev.*, vol. 41, pp. 85-98, Jan. 2015, doi: 10.1016/j.rser.2014.08.039.
- [55] P. O. Akadiri, E. A. Chinyio, and P. O. Olomolaiye, 'Design of A Sustainable Building: A Conceptual Framework for Implementing Sustainability in the Building Sector', *Buildings*, vol. 2, no. 2, pp. 126-152, May 2012, doi: 10.3390/buildings2020126.
- [56] M. T. R. Jayasinghe, R. A. Attalage, and A. I. Jayawardena, 'Roof orientation, roofing materials and roof surface colour: their influence on indoor thermal comfort in warm humid climates', *Energy Sustain. Dev.*, vol. 7, no. 1, pp. 16-27, Mar. 2003, doi: 10.1016/S0973-0826(08)60345-2.
- [57] K. Harijan, M. A. Uqaili, and M. Memon, 'Renewable Energy for Managing Energy Crisis in Pakistan', in *Wireless Networks, Information Processing and Systems*, vol. 20, D. M. A. Hussain, A. Q. K. Rajput, B. S. Chowdhry, and Q. Gee, Eds., in *Communications in Computer and Information Science*, vol. 20. , Berlin, Heidelberg: Springer Berlin Heidelberg, 2008, pp. 449-455. doi: 10.1007/978-3-540-89853-5_48.
- [58] A. Tashakkori and C. Teddlie, *SAGE Handbook of Mixed Methods in Social & Behavioral Research*. 2455 Teller Road, Thousand Oaks California 91320 United States: SAGE Publications, Inc., 2010. doi: 10.4135/9781506335193.
- [59] 'Designing and Conducting Mixed Methods Research'. Accessed: Feb. 13, 2026. [Online]. Available: <https://collegepublishing.sagepub.com/products/designing-and-conducting-mixed-methods-research-3-241842>
- [60] R. Galvin, 'Making the "rebound effect" more useful for performance evaluation of thermal retrofits of existing homes: Defining the "energy savings deficit" and the "energy performance gap"', *Energy Build.*, vol. 69, pp. 515-524, Feb. 2014, doi: 10.1016/j.enbuild.2013.11.004.