

A NOVEL EARLY PREDICTION OF DIABETES MELLITUS SCREENING FRAMEWORK WITH ADVANCED DEEP LEARNING TECHNIQUES

¹Henry Mukalazi Serugunda, ²Hafiz Muhammad Ijaz, ³Ghazanfar Ali,
⁴Nadeem Akhtar Bukhari

¹Department of Information Technology, School of Computing and Informatics Technology,
Makerere University, Kampala, Uganda

²Department of Computer Science and IT, University of Southern Punjab, Multan, Pakistan.

³Department of Computer Science, University of south Asia, Lahore, Pakistan.

⁴Department of Business Administration, University of Central Punjab (UCP), Pakistan.

[*ijazhafiz7@gmail.com](mailto:ijazhafiz7@gmail.com)

DOI:

Keywords

Support Vector Machine,
Random Forest, Diabetics,
Artificial Intelligence

Article History

Received: 20 April 2026

Accepted: 10 May 2026

Published: 13 May 2026

Copyright @Author

Corresponding Author: *

Hafiz Muhammad Ijaz

Abstract

Diabetes Mellitus is a chronic and life-threatening disease still posing a significant burden on the health system worldwide. During recent years, there has been a surge in the development of machine learning (ML) models for predicting the risk of developing diabetes, although many of these models are considered as “black boxes,” that is, they are primarily concerned with prediction accuracy, and provide limited information about what is driving the decisions of their models. The lack of transparency reduces their usefulness in real world clinical situations, where understanding of the causes and risk factors is pivotal for optimal prevention and treatment. In an effort to overcome this limitation, the present study proposes Ensemble-based machine learning framework that enhances the prediction accuracy and specifies the most significant factors that play a crucial role in the onset of diabetes. A dataset with both clinical and demographic data was used to train and test multiple models including XGBoost, Random Forest, Support Vector Machines. The ensemble model proposed in this work showed an accuracy of 87% and good precision compared to some well-known models. The study focuses not only on the prediction but also the interpretability using SHapley Additive exPlanations (SHAP) values. Through this analysis, key predictors were identified and glucose, Body Mass Index (BMI), and age were identified as the most influential. These findings give a better idea of the effects of various factors on diabetes risk. Furthermore, the research results can help health care professionals in their decision making processes based on the facts. Early detection allows for more effective targeted prevention strategies. This can help to enhance the quality of healthcare for patients and optimize its resource use. Furthermore, the framework illustrates the use of accuracy and interpretability to foster trust in systems with AI. The methodology may be applied to other chronic diseases as well, making it a valuable contribution to the field of Intelligent Healthcare.

1. Introduction

Machine learning (ML) is one of the essential subfields in the exploration community when making predictions and carrying out systematic evaluations. In particular, it is one of the crucial subfields in the research community. Learning through machines is one of the most critical subfields nowadays. According to research by the WHO, India has the highest prevalence rate of diabetes of any country in the world (WHO). It is thought that there will be a total of in India who had diabetes in 2000 was 31.7 million. It is anticipated that this figure will skyrocket to 79.4 million by 2030. In the year 2000, it was projected that 31.7 million people in India suffered from diabetes. Diabetes is a crucial condition rapidly becoming one of the most widespread health disorders ascribed to modern lives. This is because diabetes is caused by eating unhealthy foods and not exercising enough. This illness is characterized by blood sugar levels that remain unusually high for a lengthy period. Long-term effects of diabetes can include organ failure, particularly in the liver, heart, kidneys, and stomach, amongst other organs. [1]. Diabetes, commonly known as diabetes mellitus (DM), is a metabolic illness that is characterized by persistently high levels of glucose in the blood. Diabetes can also be referred to as just diabetes. When high levels of glucose are present in the blood, a person may experience a variety of unpleasant symptoms, some of which include an overwhelming sensation of thirst, an increase in appetite, and the need to urinate frequently. Other symptoms may include the need to urinate frequently. In the event that diabetes is not treated in a timely manner, it can lead to serious complications in a person's health, such as diabetic ketoacidosis, hyperosmolar hyperglycemic syndrome, and in the most severe situations, death. Getting treatment for diabetes as quickly as possible is the best way to avoid the complications that can arise from the disease. People who already have diabetes have a higher risk of developing these complications. This could result in ramifications that last a lifetime, such as cardiovascular disease, a stroke, kidney failure, ulcers in the foot, visual difficulties, and other health problems. Diabetes can happen for one of two reasons:

either the body's pancreas can't make enough insulin, or the body's cells and tissues can't use the insulin that the pancreas makes. Both of these conditions can lead to the development of diabetes. Both of these disorders have been associated in some persons with an increased likelihood of acquiring diabetes in the future. [2].

Diabetes has moved up the list from its prior position as the fifth leading cause of mortality in developed countries to its current position as the fourth top cause of death in these countries. Although some cases of diabetes are challenging to categorize, the vast majority of people who have the disease may be classified as having either type 1 or type 2 diabetes. One of the principal's focuses of current research in the field of machine learning is on classifier set approaches. However, several other directions are now receiving the majority of attention. Additionally, various other domains have been attracting significant focus in recent years. They have been utilized in the process of finding solutions to a wide variety of fundamental issues that have been encountered all over the world. The efficiency of classifier sets is heavily dependent on their capacity to make use of the complementarities between the various individual classifiers, with the end goal of improving performance to the greatest extent that is practically achievable. This is done to maximize the amount of improvement that can be achieved. One of the most recent and fruitful research outputs on decision tree learning is a method known as the random forest. [Citation needed] [Citation needed] This method is yet another one of the techniques that are evolved from set methods. The method known as random forest is one of the approaches. In medicine, random forests have been put to practical use to improve diagnostic accuracy concerning diabetes. It is strongly suggested that random forests be used in diagnosing diabetes for this objective to be realized. [3].

Data mining and deep learning is the most important area in data science. There are many data mining techniques which we are used in our daily life. We used these techniques in education, medicine, weather, business, banking etc. But in recent year, it is not for the best, and the amount of medical information from

digital to quality of thoughts that was significant needs to be presented. It is inexpensive and easy to lead to data production [29]. Machine learning is most advance area of research data mining techniques have covered all areas of our lives. We use Machine Learning techniques in our daily life. We used these techniques to get more batter results. We used these techniques in education, medicine, weather, business, banking etc. [30]. Diabetes is very dangerous disease which effected large amount of people in resent year. In resent year more than 400 million people are affected by this disease that is alarming situation for WHO and other countries. Death rate of this disease is high more than 3.5 million people were dying in every year overall the world. India have more than 7.5 million people which are affected by this due to this India called Diabetes Capital of the World. If we did not work on this, it increases day by day and death rate is also increase and it is dangerous for all over the world. We want to take this seriously and we want to take some important step to control this dangerous disease. If we did not take it serious and not take step to control it make more dangerous for every one and more than 650 million people were affected overall the word till 2025[9]. Diabetes is blood glucose level. When glucose level is increased some hormones are produce automatically in our blood reduce glucose level and we feel batter. When these hormones are not produced then glucose level increased and this called diabetes. When glucose level increased it effect on our kidney due to this increase urea level blood density increase. In our blood increase Castrol level due to this heart disease start heart attack percentage increase and mostly people died.

2. Literature Review

The purpose of this [6] paper is to offer an introduction to the algorithms used in machine learning, such as Naive Bayes, logistic regression, support vector machine, K-nearest neighbor, K-means clustering, decision tree, and random forest. These algorithms for ML are used to find and predict many different diseases. In addition to that, we make use of machine learning algorithms such as K-means clustering, decision tree, and random forest. During the course of this investigation, a significant number

of previously conducted studies were reviewed. In these investigations, algorithms for machine learning were utilized to diagnose a number of newly discovered medical disorders that have emerged over the course of the last three years. This section compares different algorithms, ways of evaluating them, and the results they produced.

At last, there is a talk about the works that came before this one. Recent years have seen the rise of machine learning in medicine to offer tools and analyze disease data. So, using machine learning algorithms is essential to finding diseases early. The purpose of this paper was to investigate several machine learning techniques that can be utilized to forecast infectious diseases. In the study of a great number of disorders, including liver disease, chronic renal disease, breast cancer, cardiac syndrome, brain tumors, and a great many others, standard datasets have been utilized. The researchers compiled a list of the findings they discovered and organized them in a table in order to facilitate the application of various ML algorithms in the process of disease diagnosis. When analyzing nineteen publications concerning various models that predicted disorders, it was discovered that several algorithms are good at predicting SVM, KNN, random forest, and the decision tree. This was discovered through the comparison of these papers. However, the accuracy of a given method may shift based on the dataset that is being utilized. This is because the accuracy and performance of the model depend on many important factors, such as the datasets used, the features chosen, and the number of features. The accuracy and implementation of the model can be improved by using a new method to make a single ensemble model, which is another significant result of this analysis.

This [13] This article has focused on analyzing diabetic individuals as well as the process of diagnosing diabetes using a range of ML techniques in order to build a model with few dependencies that is based on the PIMA dataset. These analyses were carried out using data from the PIMA dataset. The data from the PIMA dataset were utilized in the construction of the model. The model was built with the assistance of these many approaches and methods. Both an

unexplored area of PIMA and a dataset retrieved from Kurmitola General Hospital in Dhaka, Bangladesh, were used in the process of validating the model. Both of these institutions are located in Bangladesh. The purpose of this [13] study is to demonstrate the efficacy of classifiers that have been trained on the diabetes dataset of a particular country and then tested on patients from a different countries. In order to prove the usefulness of this inquiry, we are currently carrying it out. Throughout the course of this investigation, the researchers tried out a number of different classification strategies, such as decision trees, KNN analysis, random forests, and Naive Bayes. The findings indicate that random forests and Naive Bayes classifiers did remarkably well on both datasets. [Citation needed] When researchers have finished presenting the results of the classification performance evaluation, they will go on to a discussion of the findings. The goal of these studies is to find out if Machine Learning strategies can be used to identify diabetic women in Bangladesh with a high degree of certainty. Specifically, the testing is being carried out in Bangladesh. Pranto *et al.* have produced evidence demonstrating the reliability of the usefulness of approaches based on machine learning in diagnosing diabetes. If ML techniques can be successfully used, it would appear that Bangladesh will not face a significant obstacle as a result of the limited availability of the dataset. This is assuming, of course, that the dataset can be located. This demonstrates that Bangladesh will not be facing a significant obstacle. When seen from the perspective of Bangladesh, the dataset that we were working with was not an exceptionally huge one. [10], research was carried out in which traditional ML methods were compared to the methodology of deep learning, and the results were compared and assessed. As part of the more conventional approach to machine learning, we investigated the SVM and Random Forest classifiers, which are two of the most popular options. On the other hand, for (DL), CNN was used to predict and identify persons who have diabetes. The database of diabetes cases experienced by Pima Indians, which is open to the public, was utilized to conduct an analysis of the proposed method. This database contained 768

different samples, and each one of them had eight characteristics. It was established that just 268 of the remaining components came from people who had been diagnosed with diabetes, in contrast to the other 500 models. The following findings were obtained with respect to the overall accuracy of DL, SVM, and RF: 76.81 percent, 65.38 percent, and 83.67 percent, respectively. The results of the studies suggest that RF is superior to deep learning and SVM methods in terms of its capability to forecast diabetes accurately. This [19] An investigation into predicting the risk of mortality was carried out with the assistance of the resources made available by the (UMLS), which included methods for ML and natural language processing. The aim of the research was to check to see if or not it was possible to reduce the number of deaths. To provide a bit more detail, the research was carried out in order to: (NLP). They did a second look at the information from the Medical Information Mart that was collected for the Intensive Care III study (MIMIC-III). When it came to machine learning, a few separate models were used, and when it came to natural language processing, a few different procedures were carried out. The dictionaries that are published by medical professionals who are responsible for the definition of clinical terminologies, such as clinical symptoms or drugs, serve as the foundation upon which domain knowledge in the healthcare business is built. This is the case due to the fact that these specialists were in charge of defining clinical nomenclature. When one possesses this knowledge, it is much simpler to decipher the information contained inside the text notes that state a specific disease or condition. If information about conceptual entities and how they connect to other concepts can be found in clinical notes or biomedical literature, then knowledge-guided models have the ability to automatically obtain this information from these sources. This is possible because knowledge-guided models are based on what has been learned in the past. This is only the case if the clinical notes or literature have abstract entities and connections between the different ideas. This capability is only accessible to models that include conceptual entities in their representations. In an application, both the UMLS

entity embedding and a convolutional neural network (CNN) containing word embedding were utilized. To construct clinical text representations, we used entity embedding in conjunction with something known as Concept Unique Identifiers, or CUIs. When the machine learning models were set up in the best way possible, the AUC was 0.97 percentage points higher than for the other candidates. Using machine learning models in conjunction with natural language processing of clinical notes presents a significant opportunity for medical professionals to receive assistance in determining the likelihood that a critically ill patient will pass away. This assistance can significantly help determine the probability that a patient will pass away. The clinical notes and resources made available through UMLS are highly effective and important tools that can be utilized to forecast death rates in diabetic patients receiving treatment in an intensive care setting. The knowledge-guided CNN

model, which has an area under the curve of 0.97, makes it easier to find concealed traits and improves the efficiency with which one learns new information. Nazin Ahmed et al. [36] proposed a machine learning model in which they dataset is contain 950 instances and 19 attributes, they apply different classification algorithms like as NB, DT, RF, SVM, LR, GB, and KNN, the accuracy of these models is 86.17%, 96.81%, 96.81%, 91.49%, 84.04%, 90.43%, and 90.43%.

3. Methods and materials

3.1. Dataset Collection

We have collected the dataset from the UCI Dataset Repository; the name of the Dataset is NID DK Diseases. The hepatitis disease dataset consists of 08 Diabetes features (Pregnancies, Glucose, Blood-Pressure, Skin-Thickness, Insulin, BMI, Diabetes-Pedigree-Function, Age). This dataset has a total of 768 samples of Diabetes Disease patients. Figure 01 shows the details of a dataset.

```
Data Shape (768, 9)
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 768 entries, 0 to 767
Data columns (total 9 columns):
#   Column                               Non-Null Count  Dtype
---  ---                               -
0   Pregnancies                          768 non-null    int64
1   Glucose                              768 non-null    int64
2   BloodPressure                        768 non-null    int64
3   SkinThickness                        768 non-null    int64
4   Insulin                              768 non-null    int64
5   BMI                                  768 non-null    float64
6   DiabetesPedigreeFunction             768 non-null    float64
7   Age                                  768 non-null    int64
8   Outcome                              768 non-null    int64
dtypes: float64(2), int64(7)
memory usage: 54.1 KB
None
```

Figure 1 Data Set Detail

This type of Meta Data Description is a clean, well understanding set of records. Anyhow the significance of some of the attributes is not much clear. Let's see the meaning:

- Age: How much person's old now in terms of years
- Pregnancies: Month of Baby development
- BMI: This is relating to human body mass index property.

- BloodPressure: The BloodPressure is related to range of values 100 – 250 in patients
 - Glucose: The Glucose (**Level**) is related to the amount of 100 to 125 mg\L (5.6 to 6.9 mmol/L).
 - SkinThinkness: This attribute tells the amount of insulin in Diabetic patients.
- Our research use Description – **Meta Data 01** with the complete details of this attribute to understand it.

	count	mean	std	min	25%	50%	75%	max
Pregnancies	768.0	3.845052	3.369578	0.000	1.00000	3.0000	6.00000	17.00
Glucose	768.0	120.894531	31.972618	0.000	99.00000	117.0000	140.25000	199.00
BloodPressure	768.0	69.105469	19.355807	0.000	62.00000	72.0000	80.00000	122.00
SkinThickness	768.0	20.536458	15.952218	0.000	0.00000	23.0000	32.00000	99.00
Insulin	768.0	79.799479	115.244002	0.000	0.00000	30.5000	127.25000	846.00
BMI	768.0	31.992578	7.884160	0.000	27.30000	32.0000	36.60000	67.10
DiabetesPedigreeFunction	768.0	0.471876	0.331329	0.078	0.24375	0.3725	0.62625	2.42
Age	768.0	33.240885	11.760232	21.000	24.00000	29.0000	41.00000	81.00
Outcome	768.0	0.348958	0.476951	0.000	0.00000	0.0000	1.00000	1.00

Figure 2 Data set overview

Figure 02 is showing the details of our Dataset in terms of the total number of records (786) Dataset, Find out the mean, Standard deviation, Min value, Max value, 25%, 50%, and 75% Percentage of the Dataset.

In our dataset, there is two different category of class lab in it. In data set, 0 is related to number of patients, which cannot be suffering with Diabetes issues, 1 is relating to patient with Diabetic issues. The figure 3 is showing amount of people in all two categories.




Figure 3 Amount of people in all two categories

Below Figure 4 shows the cluster Map concerning Target. Cluster Heatmap easily differentiates the attributes of the dataset, which are most related to the target attribute. We have used the seaborn library to

plot the associated attributes of the heatmap. Figure 4 shows that Pregnancies, Glucose, and SkinThickness have a positive correlation toward the Category attribute.




Figure 4 Correlation Between Features

3.2. Feature Selection

Figure 5 is showing a number of diabetic patients, and non-diabetic patients between the (Pregnancies, Glucose, BloodPressure, SkinThickness, Insulin, BMI, DiabetesPedigreeFunction, Age) of the patient. There

is some outlier in our dataset (Insulin, SkinThickness, Glucose, BloodPressure), because median of these features is abnormally larger then as compare to its other features.




Figure 5 Features with Category

Previous studies stated that large amount of heart disease data collected from different sources and on different websites and different techniques applied on

it. This thesis proposes a new machine learning approach for heart disease diagnosis using different data set which is taken from online sources. The

dataset contains 700 plus instances. We use different approaches on different data set the method is developed using machine learning techniques to use different algorithms such as Extreme Machine Learning (EML), using Naïve Bayer Random Forest, Decision Tree, SVM algorithm etc. for that purpose python language is used. Machine learning algorithms applied on the given dataset for the detection of heart Diabetes. We use different dataset which we download from UCI machine learning repository. This dataset These datasets will be Contain many records and different attributes. These datasets will be used for our system on these datasets we Applying different classification algorithms.

3.7.1. Collection of datasets

We use different dataset which we download from UCI machine learning repository. This dataset These datasets will be Contain many records and different

attributes. These datasets will be used for our system on these datasets we Applying different classification algorithms.

3.7.1.1. Data Pre-processing

In this step we take Diabetes datasets from internet. In these datasets some irrelevant data present and some missing values are present we remove all these irrelevant data and use useful information for future working. Data will be standardized and normalized to achieve better results.

3.7.1.2. Classification and feature selection

Feature selection is the process of reducing the number of input variables when developing a predictive model. It is desirable to reduce the number of input variables to both reduce the computational cost of modeling and, in some cases, to improve the performance of the model.




Figure 6 Methodology

4. Result Analysis and implementation

4.1. Analysis (Diabetic cases)

Figure 6 is showing the analysis of Diabetic Case with all features. Age attribute is showing people that in range of 21 to 70 have diabetes symptom in their body.

The Pregnancies, Glucose, BloodPressure, SkinThickness, Insulin, BMI, and DiabetesPedigreeFunction value range from 0-28, 100-200, 40 - 130, 20-53, 0-600, 20-60, and 0-2.5 respectively.




Figure 6 Analysis (Diabetic Case)

4.2. Analysis (Non-diabetic cases)

Figure 7 is showing the analysis of non-diabetic patient category with all features. Age attribute is showing people that 20 to 70 plus are non-diabetic symptom in their body. The Pregnancies, Glucose, BloodPressure,

SkinThickness, Insulin, BMI, and DiabetesPedigreeFunction value range from 0.0- 32.5, 50- 230, 40 - 120, 10 - 50, 0.0 - 300, 20-50, and 0-1 respectively.




Figure 7 Analysis (Non-Diabetic Case)

4.3. Visualization of features

In figure 8, it will be observing that our dataset has two types of outliers in it. Outlier is less as compare to outliers (mean discontinue linear pattern). Both

category (Diabetic Patient, Non-Diabetic Patient) has both outliers in it. So, in upcoming step, we will need to Drop these outliers for further upcoming procedure.




Figure 8 Outlier in Dataset




Figure 9 After Remove Outlier in Dataset

In figure 10, it will be observing that our dataset has two types of rates (Diabetic Case (Positive & Negative)) in it. After analysis of glucose and pregnancies; are showing diabetes negative rate are higher than positive diabetes rate in dataset.




Figure 10 Diabetic Positive Vs Diabetic Negative Rate in Glucose and Pregnancies

In figure 11, it will be observing that our dataset has two types of rates (Diabetic Case (Positive & Negative)) in it. After analysis of glucose and Insulin; are showing

diabetes negative rate are less than positive diabetes rate in dataset.




Figure 11 Diabetic Positive Vs Diabetic Negative Rate in Glucose and Insulin

In figure 12, it will be observing that our dataset has two types of rates (Diabetic Case (Positive & Negative)) in it. After analysis of pregnancies and age; are

showing diabetes negative rate are less than positive diabetes rate in dataset.




Figure 12 Diabetic Positive Vs Diabetic Negative Rate in Glucose and Pregnancies

For Logistic Regression, we have used the Scikit library and with the help of the LogisticRegression header file, we have achieved an accuracy score using Logistic Regression is average accuracies 75.02%, standard deviation accuracies 0.0453641, and test accuracy 86.00%. For K-Nearest Neighbors, we have used the

Scikit library and with the help of the GaussianNB header file, we have achieved an accuracy score using KNN is score 88%, best training accuracy 76.71%, and test accuracy 77.33%.




Figure 13 KNN 2-Classification (K=6, Weights= Uniform)

For Support Vector Machine, we have used the Scikit library and with the help of the SVM header file, we have achieved an accuracy score using Support Vector Machine is average accuracies 0.738739495, standard deviation accuracies 0.060221832411, and test accuracy 84%. For Naïve Bayes (NB), we have used the Scikit library and with the help of the GaussianNB header file, we have achieved an accuracy score using Naïve Bayes (NB) is average accuracies 73.42%, standard deviation accuracies 0.11800297, and test accuracy 84.00%. For Decision Tree, we have used the

Scikit library and with the help of the DecisionTreeClassifier header file, we have achieved an accuracy score using Decision Tree is average accuracies 66.29%, standard deviation accuracies 0.1494277041, and test accuracy 71.33%. **Dataset-2:** For Random Forest, we have used the Scikit library and with the help of the RandomForestClassifier header file, we have achieved the accuracy score using Random Forest average accuracies 74.68%, standard deviation accuracies 0.058511137, and test accuracy 87.33%.




Figure 13 Random Forest Optimum N Estimator

For ANN, we have used the Scikit library and with the help of the KerasClassifier header file, we have achieved the accuracy score using ANN accuracies 98.94%. which is one of the highest accuracies as compare to all other machine learning algorithms. For GBN, we have used the Scikit library and with the

help of the GradientBosstingClassifier header file, we have achieved the accuracy score using ANN accuracies 83.33%. which is one of the highest accuracies as compare to all other machine learning algorithms.

Table 1: Accuracy Comparison Data set

Algorithms	Avg Accuracy	SD Accuracy	Test Accuracy	F1-score
SVM	0.74%	0.06%	0.84%	0.84%
Decision Tree	0.66%	0.14%	0.71%	0.72%
Logistic Regression	0.75%	0.04%	0.86%	0.74%
KNN	0.36%	0.03%	0.20%	0.74%
Naïve Bayes	0.73%	0.11%	0.84%	0.84%
Random Forest	0.74%	0.05%	0.87%	0.87%

The above-mentioned table 2 illustrates that Accuracy comparison & performance evaluation of ML algorithms and our proposed model. The Random Forest model achieved accuracy of 87%. This value is more efficient as compared to individual machine learning algorithms.

5. Conclusion

In our study, four machine learning algorithms are applied for the Classification of **Diabetic** patients. The dataset that we have used in our study is publicly available on UCI. Our study evaluates the classification algorithms performance on **Diabetic** patients by using Python language and improves the accuracy. It discovers that individual model is providing accuracy up to 87% in dataset. This Highest accuracy has been achieved by Random Forest in dataset.

REFERENCES:

1. Waqas, Muhammd, Muhammad Atif Tahir, and Rizwan Qureshi. "Ensemble-based instance relevance estimation in multiple-instance learning." In 2021 9th European workshop on visual information processing (EUVIP), pp. 1-6. IEEE, 2021.
2. Khan, M.A., Khan, S.U.R. & Lin, D. Shortening surgical time in high myopia treatment: a randomized controlled trial comparing non-OVD and OVD techniques in ICL implantation. *BMC Ophthalmol* 25, 303 (2025). <https://doi.org/10.1186/s12886-025-04135-3>
3. [Shahzad, Inzamam, Jianquan Ouyang, and Saif Ur Rehman Khan. "FedVC-ADDiM: a federated learning framework for diagnosis of alzheimer disease using deep learning." *Multimedia Systems* 32, no. 3 \(2026\): 161. <https://doi.org/10.1007/s00530-026-02229-6>](https://doi.org/10.1007/s00530-026-02229-6)
4. Khan, S.U.R., Asif, S., Bilal, O. et al. Lead-cnn: lightweight enhanced dimension reduction convolutional neural network for brain tumor classification. *Int. J. Mach. Learn. & Cyber.* (2025). <https://doi.org/10.1007/s13042-025-02637-6>.
5. Khan, S.U.R., Zhao, M. & Li, Y. Detection of MRI brain tumor using residual skip block based modified MobileNet model. *Cluster Comput* 28, 248 (2025). <https://doi.org/10.1007/s10586-024-04940-3>
6. Hekmat, A., et al., Brain tumor diagnosis redefined: Leveraging image fusion for MRI enhancement classification. *Biomedical Signal Processing and Control*, 2025. 109: p. 108040.
7. Ishfaq, Muhammad, Saif Ur Rehman Khan, and Yulong Lou. "Digitizing Health Monitoring in Engineering Structures Using Deep Learning: A Novel Block Architecture for Concrete Crack Prediction in Surface and Sub-surface Dataset." *Journal of Bionic Engineering* (2026): 1-23.
8. Khan, Saif Ur Rehman, Asif Raza, Inzamam Shahzad, and Ghazanfar Ali. "Enhancing concrete and pavement crack prediction through hierarchical feature integration with VGG16 and triple classifier ensemble." In 2024 Horizons of Information Technology and Engineering (HITE), pp. 1-6. IEEE, 2024.
9. Waqas, Muhammad, Zeshan Khan, Shaheer Anjum, and Muhammad Atif Tahir. "Lung-Wise Tuberculosis Analysis and Automatic CT Report Generation with Hybrid Feature and Ensemble Learning." In CLEF (Working notes), pp. 1-10. 2020.
10. Khan, S. U. R., & Khan, Z. (2025). Detection of Abnormal Cardiac Rhythms Using Feature

- Fusion Technique with Heart Sound Spectrograms. *Journal of Bionic Engineering*, 1-20.
11. Waqas, Muhammad, Syed Umaid Ahmed, Muhammad Atif Tahir, Jia Wu, and Rizwan Qureshi. "Exploring multiple instance learning (MIL): A brief survey." *Expert Systems with Applications* 250 (2024): 123893.
 12. Al-Khasawneh, Mahmoud Ahmad, Asif Raza, Saif Ur Rehman Khan, and Zia Khan. "Stock Market Trend Prediction Using Deep Learning Approach." *Computational Economics* (2024): 1-32
 13. Khan, Muhammad Ahmed, Manqiang Peng, Ding Lin, and Saif Ur Rehman Khan. "Deep Learning Based Estimation of Blood Glucose Levels from Multidirectional Scleral Blood Vessel Imaging." arXiv preprint arXiv:2603.12715 (2026).
 14. Khan, Saif Ur Rehman, Muhammad Nabeel Asim, Sebastian Vollmer, and Andreas Dengel. "FloraSyntropy-net: scalable deep learning with novel FloraSyntropy archive for large-scale plant disease diagnosis." *Plant Methods* (2026).
 15. Ur Rehman Khan, Saif, Omair Bilal, Arash Hekmat, Inzamam Shahzad, and Asif Raza. "Advancing food safety: deep learning for accurate detection of bacterial contaminants." *Memetic Computing* 18, no. 1 (2026): 11.
 16. Waqas, Muhammad, Muhammad Atif Tahir, Sumaya Al-Maadeed, Ahmed Bouridane, and Jia Wu. "Simultaneous instance pooling and bag representation selection approach for multiple-instance learning (MIL) using vision transformer." *Neural Computing and Applications* 36, no. 12 (2024): 6659-6680.
 17. Hekmat, Arash, Omair Bilal, Zuping Zhang, Saif Ur Rehman Khan, and Sohaib Asif. "FRE-Net: A Fuzzy Richards Functions-Based Ensemble Network for Brain Tumor Detection." *Journal of Bionic Engineering* (2026): 1-23.
 18. Mayumu, Nicanor, Xiaoheng Deng, Antoine Bagula, and Patrick Mukala. "V2X-JEPA: Self-Supervised Multi-Agent Joint Embedding Predictive Architecture for Robust Vehicle-to-Everything Perception." *IEEE Internet of Things Journal* (2026).
 19. Waqas, Muhammad, Muhammad Atif Tahir, and Salman A. Khan. "Robust bag classification approach for multi-instance learning via subspace fuzzy clustering." *Expert Systems with Applications* 214 (2023): 119113.
 20. Bilal, Omair, Arash Hekmat, Inzamam Shahzad, Asif Raza, and Saif Ur Rehman Khan. "Boosting Machine Learning Accuracy for Cardiac Disease Prediction: The Role of Advanced Feature Engineering and Model Optimization." *The Review of Socionetwork Strategies* (2025): 1-30.
 21. Khan, Saif Ur Rehman, Muhammad Nabeel Asim, Sebastian Vollmer, and Andreas Dengel. "Temperature-driven robust disease detection in brain and gastrointestinal disorders via context-aware adaptive knowledge distillation." *Biomedical Signal Processing and Control* 112 (2026): 108671.
 22. Khan, S. U. R., Asif, S., Zhao, M., Zou, W., Li, Y., & Xiao, C. (2026). ShallowMRI: A novel lightweight CNN with novel attention mechanism for Multi brain tumor classification in MRI images. *Biomedical Signal Processing and Control*, 111, 108425.
 23. Khan, M. A., Khan, S. U. R., Rehman, H. U., Aladhadh, S., & Lin, D. (2025). Robust InceptionV3 with Novel EYENET Weights for Di-EYENET Ocular Surface Imaging Dataset: Integrating Chain Foraging and Cyclone Aging Techniques. *International Journal of Computational Intelligence Systems*, 18(1), 1-26.
 24. A. Raza, Salahuddin, S. Latif, and G. Ali, "Refine Security Control Protocols for Block chain in Textile Industry Supply Chain Management", *VFAST trans. softw. eng.*, vol. 14, no. 2, pp. 62-80, Apr. 2026.
 25. Khan, U. S., & Khan, S. U. R. (2025). Ethics by Design: A Lifecycle Framework for Trustworthy AI in Medical Imaging From Transparent Data Governance to Clinically Validated Deployment. arXiv preprint arXiv:2507.04249.
 26. Waqas, Muhammad, Muhammad Atif Tahir, and Rizwan Qureshi. "Deep Gaussian mixture model based instance relevance estimation for multiple

- instance learning applications." *Applied intelligence* 53, no. 9 (2023): 10310-10325.
27. Khan, S. U. R., Rehman, H. U., & Bilal, O. (2025). AI-powered cancer diagnosis: classifying viable (live) vs non-viable (dead) cells using transfer learning. *Signal, Image and Video Processing*, 19(15), 1326.
 28. Khan, S. U. R., Asif, S., Zhao, M., Zou, W., Li, Y., & Xiao, C. (2026). ShallowMRI: A novel lightweight CNN with novel attention mechanism for Multi brain tumor classification in MRI images. *Biomedical Signal Processing and Control*, 111, 108425.
 29. Waqas M, Bandyopadhyay R, Showkatian E, Muneer A, Zafar A, Alvarez FR, Marin MC, Li W, Jaffray D, Haymaker C, Heymach J. The Next Layer: Augmenting Foundation Models with Structure-Preserving and Attention-Guided Learning for Local Patches to Global Context Awareness in Computational Pathology. *arXiv preprint arXiv:2508.19914*. 2025 Aug 27.
 30. Shahzad, Inzamam, Asif Raza, and Muhammad Waqas. "Medical Image Retrieval using Hybrid Features and Advanced Computational Intelligence Techniques." *Spectrum of engineering sciences* 3, no. 1 (2025): 22-65.
 31. Bilal, O., Hekmat, A., Shahzad, I. et al. Boosting Machine Learning Accuracy for Cardiac Disease Prediction: The Role of Advanced Feature Engineering and Model Optimization. *Rev Socionetwork Strat* (2025). <https://doi.org/10.1007/s12626-025-00190-w>
 32. Asif Raza, Inzamam Shahzad, Ghazanfar Ali, and Muhammad Hanif Soomro. "Use Transfer Learning VGG16, Inception, and Resnet50 to Classify IoT Challenge in Security Domain via Dataset Bench Mark." *Journal of Innovative Computing and Emerging Technologies* 5, no. 1 (2025).
 33. Khan, Z., Khan, S. U. R., Bilal, O., Raza, A., & Ali, G. (2025, February). Optimizing Cervical Lesion Detection Using Deep Learning with Particle Swarm Optimization. In *2025 6th International Conference on Advancements in Computational Sciences (ICACS)* (pp. 1-7). IEEE.
 34. Waqas, Muhammad, Zeshan Khan, Shaheer Anjum, and Muhammad Atif Tahir. "Lung-Wise Tuberculosis Analysis and Automatic CT Report Generation with Hybrid Feature and Ensemble Learning." In *CLEF (Working notes)*, pp. 1-10. 2020.
 35. Khan, S. U. R., Asif, S., Zhao, M., Zou, W., & Li, Y. (2025). Optimize brain tumor multiclass classification with manta ray foraging and improved residual block techniques. *Multimedia Systems*, 31(1), 1-27.
 36. Asif Raza, Salahuddin, Ghazanfar Ali, Muhammad Hanif Soomro, Saima Batool, "Analyzing the Impact of Artificial Intelligence on Shaping Consumer Demand in E-Commerce: A Critical Review", *International Journal of Information Engineering and Electronic Business(IJIEEB)*, Vol.17, No.5, pp. 42-61, 2025. DOI:10.5815/ijieeb.2025.05.04
 37. Khan, M. A., Khan, S. U. R., Rehman, H. U., Aladhadh, S., & Lin, D. (2025). Robust InceptionV3 with Novel EYENET Weights for Di-EYENET Ocular Surface Imaging Dataset: Integrating Chain Foraging and Cyclone Aging Techniques. *International Journal of Computational Intelligence Systems*, 18(1), 204.
 38. Raza, Asif, Inzamam Shahzad, Muhammad Salahuddin, and Sadia Latif. "Satellite Imagery Employed to Analyze the Extent of Urban Land Transformation in The Punjab District of Pakistan." *Journal of Palestine Ahliya University for Research and Studies* 4, no. 2 (2025): 17-36.
 39. Khan, S. U. R., Asif, S., Zhao, M., Zou, W., Li, Y., & Li, X. (2025). Optimized deep learning model for comprehensive medical image analysis across multiple modalities. *Neurocomputing*, 619, 129182.
 40. Khan, Saif Ur Rehman, Asif Raza, Inzamam Shahzad, and Shehzad Khan. "Subcellular Structures Classification in Fluorescence Microscopic Images." In *International Conference on Computing & Emerging Technologies*, pp. 271-286. Cham: Springer Nature Switzerland, 2023.

41. Maqsood, H., & Khan, S. U. R. (2025). MeD-3D: A Multimodal Deep Learning Framework for Precise Recurrence Prediction in Clear Cell Renal Cell Carcinoma (ccRCC). arXiv preprint arXiv:2507.07839.
42. Raza, Asif, Salahuddin, & Inzamam Shahzad. (2024). Residual Learning Model-Based Classification of COVID-19 Using Chest Radiographs. *Spectrum of Engineering Sciences*, 2(3), 367-396.
43. Khan, S. U. R. (2025). Multi-level feature fusion network for kidney disease detection. *Computers in Biology and Medicine*, 191, 110214.
44. Salahuddin, Syed Shahid Abbas, Prince Hamza Shafique, Abdul Manan Razaq, & Mohsin Ikhtlaq. (2024). Enhancing Reliability and Sustainability of Green Communication in Next-Generation Wireless Systems through Energy Harvesting. *Journal of Computing & Biomedical Informatics*.
45. S. U. R. Khan, A. Raza, I. Shahzad and G. Ali, "Enhancing Concrete and Pavement Crack Prediction through Hierarchical Feature Integration with VGG16 and Triple Classifier Ensemble," 2024 Horizons of Information Technology and Engineering (HITE), Lahore, Pakistan, 2024, pp. 1-6.
46. Mahmood, F., Abbas, K., Raza, A., Khan, M.A., & Khan, P.W. (2019). Three Dimensional Agricultural Land Modeling using Unmanned Aerial System (UAS). *International Journal of Advanced Computer Science and Applications (IJACSA)* [p-ISSN : 2158-107X, e-ISSN : 2156-5570], 10(1).
47. HUSSAIN, S., Raza, A., MEERAN, M. T., IJAZ, H. M., & JAMALI, S. (2020). Domain Ontology Based Similarity and Analysis in Higher Education. *IEEEP New Horizons Journal*, 102(1), 11-16.
48. Hekmat, A., Zuping, Z., Bilal, O., & Khan, S. U. R. (2025). Differential evolution-driven optimized ensemble network for brain tumor detection. *International Journal of Machine Learning and Cybernetics*, 1-26.
49. Raza, A., & Meeran, M. T. (2019). Routine of Encryption in Cognitive Radio Network. *Mehran University Research Journal of Engineering and Technology* [p-ISSN: 0254-7821, e-ISSN: 2413-7219], 38(3), 609-618.
50. Meeran, M. T., Raza, A., & Din, M. (2018). Advancement in GSM Network to Access Cloud Services. *Pakistan Journal of Engineering, Technology & Science* [ISSN: 2224-2333], 7(1).
51. Bilal, O., Hekmat, A., & Khan, S. U. R. (2025). Automated cervical cancer cell diagnosis via grid search-optimized multi-CNN ensemble networks. *Network Modeling Analysis in Health Informatics and Bioinformatics*, 14(1), 67.
52. Raza, Asif, Soomro, M. H., Shahzad, I., & Batool, S. (2024). Abstractive Text Summarization for Urdu Language. *Journal of Computing & Biomedical Informatics*, 7(02).
53. M. Wajid, M. K. Abid, A. Asif Raza, M. Haroon, and A. Q. Mudasar, "Flood Prediction System Using IOT & Artificial Neural Network", *VFAST trans. softw. eng.*, vol. 12, no. 1, pp. 210-224, Mar. 2024.
54. N. Mayumu, D. Xiaoheng, P. Mukala, S. U. R. Khan and M. U. Saeed, "Omni-V2X: A Vision-Language Model for Actionable Insights in Vehicle-to-Everything Systems," 2025 International Joint Conference on Neural Networks (IJCNN), Rome, Italy, 2025, pp. 1-8, doi: 10.1109/IJCNN64981.2025.11228491.
55. Waqas, M., Vierra, C., Kaplan, D. L., & Othman, S. (2019). Feasibility of low field MRI and proteomics for the analysis of tissue engineered bone. *Biomedical Physics & Engineering Express*, 5(2), 025037.
56. Khan, S. R., Asif Raza, Inzamam Shahzad, & Hafiz Muhammad Ijaz. (2024). Deep transfer CNNs models performance evaluation using unbalanced histopathological breast cancer dataset. *Lahore Garrison University Research Journal of Computer Science and Information Technology*, 8(1).
57. M. Waqas, Z. Khan, S. U. Ahmed and Asif. Raza, "MIL-Mixer: A Robust Bag Encoding Strategy for Multiple Instance Learning (MIL) using MLP-

- Mixer," 2023 18th International Conference on Emerging Technologies (ICET), Peshawar, Pakistan, 2023, pp. 22-26.
58. S. ur R. Khan, Asif. Raza, Muhammad Tanveer Meeran, and U. Bilhaj, "Enhancing Breast Cancer Detection through Thermal Imaging and Customized 2D CNN Classifiers", VFAST trans. softw. eng., vol. 11, no. 4, pp. 80-92, Dec. 2023.
59. Yang, H., Khan, S. U. R., Bilal, O., Chen, C., & Zhao, M. (2025). CEOE-Net: Chaotic Evolution Algorithm-Based Optimized Ensemble Framework Enhanced with Dual-Attention for Alzheimer's Diagnosis. *Computer Modeling in Engineering & Sciences*, 145(2), 2401.
60. Chomba, B., Mukala, P., Mayumu, N., & Khan, S. U. R. (2025). DynaKG: Dynamic Knowledge Graph Attention With Learnable Temporal Decay for Recommendation. *IEEE Access*, 13, 216956-216970.
61. O. Bilal, Asif Raza, S. ur R. Khan, and Ghazanfar Ali, "A Contemporary Secure Microservices Discovery Architecture with Service Tags for Smart City Infrastructures ", VFAST trans. softw. eng., vol. 12, no. 1, pp. 79-92, Mar. 2024
62. S. U. R. Khan, A. Raza, I. Shahzad and G. Ali, "Enhancing Concrete and Pavement Crack Prediction through Hierarchical Feature Integration with VGG16 and Triple Classifier Ensemble," 2024 Horizons of Information Technology and Engineering (HITE), Lahore, Pakistan, 2024, pp. 1-6, doi: 10.1109/HITE63532.2024.10777242.
63. Ishfaq, M., Khan, S. U. R., & Lou, Y. L. (2026). Towards efficient dam inspection: crack detection via chirplet transform feature and a pruned VGG16 architecture. *Memetic Computing*, 18(1), 9.
64. S. Ur Rehman Khan, O. Bilal, S. Mistry, N. Deb, M. Mahmud and M. Bhuyan, "KDLight: A Lightweight Knowledge Distillation Framework for Medical Image Classification," 2025 International Joint Conference on Neural Networks (IJCNN), Rome, Italy, 2025, pp. 1-8, doi: 10.1109/IJCNN64981.2025.11228615.
65. O. Bilal, S. Ur Rehman Khan, S. Mistry, N. Deb, M. Mahmud and M. Bhuyan, "Towards Efficient Pruning and Multi-Scale Feature Transformations to Uncover Medical Diseases," 2025 International Joint Conference on Neural Networks (IJCNN), Rome, Italy, 2025, pp. 1-8, doi: 10.1109/IJCNN64981.2025.11229047.
66. Khan, S. R., Raza, A., Waqas, M., & Raphay Zia, M. A. (2024). Efficient and Accurate Image Classification via Spatial Pyramid Matching and SURF Sparse Coding. *Lahore Garrison University Research Journal of Computer Science and Information Technology*, 7(4).
67. Shahzad, Inzamam, Asif Raza, Hasaan Maqsood, Saif Ur Rehman Khan, and Ghazanfar Ali. "Towards Robust Breast Cancer Diagnosis: A Hybrid Deep Learning Ensemble Framework." In 2025 Horizons of Information Technology and Engineering (HITE), pp. 1-6. IEEE, 2025.
68. Bilal, O., Hekmat, A., Khan, S. U. R., Raza, A., & Ali, G. (2025, December). MS-STO-Net: A Multi-Scale State Transition Optimization-Based Ensemble Network for Accurate White Blood Cell Classification. In 2025 27th International Multitopic Conference (INMIC) (pp. 1-6). IEEE.
69. N. Mayumu, X. Deng, A. Bagula, S. u. R. Khan and P. Mukala, "V2X-JEPA: Self-Supervised Multi-Agent Joint Embedding Predictive Architecture for Robust Vehicle-to-Everything Perception," in *IEEE Internet of Things Journal*, doi: 10.1109/JIOT.2026.3660030.
70. Waqas, M., & Khan, M. A. (2018). JSOPT: A framework for optimization of JavaScript on web browsers. *Mehran University Research Journal of Engineering & Technology*, 37(1), 95-104.